

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS
design simplified

DUAL SHADES

Pricing effective October 5, 2020 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

TABLE OF CONTENTS

Product Overview

- Collection Information 3-4
- Color Chart 5

Pricing Groups

- Pricing Group 1-6 6-7
- Motorization Surcharges and Options 8

Product Specifications

- Product Specifications 9
- Finished Dimensions 10
- Standard and Retractable Cord Dual Shades Operation 11
- Simplicity Rechargeable Motorization 12
- PowerWand Motorization 13
- Somfy™ Motorization 14-15
- Product Components 16-18

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLLECTION INFORMATION

Maximum widths and heights for continuous cord loop, retractable cord, and battery operated motorization noted below.

Pattern Name	Family Code	Band Height	Fabric Composition	Opacity	Maximum Width	Maximum Height	Price Group
Avalon	DS53	3"	100% Polyester	Translucent	102"	110"	2
Beaumont	DS3	3"	100% Polyester	Translucent	96"	120"	2
Buena Vista	DS52	3"	100% Polyester	Translucent	102"	92"	3
Cinema	DS4	2-3/4"	85% Polyester/15% Linen	Translucent	92"	120"	5
Definition	DS6	3"	100% Polyester	Room Darkening	90"	120"	5
Delicate	DS60	3-1/4"	100% Polyester	Translucent	102"	90"	1
Eaton	DS56	3"	100% Polyester	Translucent	92"	90"	5
Elegance	DS59	3"	100% Polyester	Translucent	90"	96"	2
Epicure	DS7	3"	100% Polyester	Translucent	100"	120"	5
Extravagance	DS8	5-1/2"	100% Polyester	Translucent	100"	120"	6
Glorious	DS18	4-3/4"	100% Polyester	Translucent	90"	120"	5
Indulgence	DS62	3"	100% Polyester	Translucent	102"	110"	2
Knollwood	DS55	3"	100% Polyester	Translucent	102"	90"	3
Knollwood Wide	DS66	3-7/8"	100% Polyester	Translucent	102"	90"	3
Lakeside	DS58	3"	100% Polyester	Translucent	90"	90"	5
Lavish	DS50	3-5/8"	100% Polyester	Translucent	102"	106"	2
Luminous	DS61	3-1/4"	100% Polyester	Translucent	96"	90"	1
Luna	DS65	4"	100% Polyester	Room Darkening	102"	96"	4
Luxury	DS10	3"	100% Polyester	Translucent	100"	120"	6
Mid Century	DS51	3-3/4"	100% Polyester	Translucent	102"	110"	2
Obscure	DS13	4"	100% Polyester	Room Darkening	96"	100"	6
Palladian	DS14	3"	100% Polyester	Translucent	100"	120"	6
Pressed	DS57	3-7/8"	100% Polyester	Translucent	102"	90"	4
Riverside	DS54	3-7/8"	100% Polyester	Translucent	102"	106"	5
Serene	DS64	4"	100% Polyester	Room Darkening	102"	96"	4
Strande	DS16	2-3/4"	100% Polyester	Translucent	100"	120"	3
Sublime	DS17	3"	100% Polyester	Translucent	90"	100"	5
Traverse	DS63	4"	100% Polyester	Room Darkening	96"	90"	4

SIDE-BY-SIDE VANE ALIGNMENT

When Dual Shades are installed side by side, vane alignment can be guaranteed within 3/8" only if:

- Shades are ordered at the same time and are identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).

ORDERING NOTE

- Finished blind height will always be in the full privacy position – with bands offset
- When you align bands to the view through position, the bottom rail will raise slightly off the window sill – the gap between the sill and bottomrail is approximately 1/2 the band width.

COLLECTION INFORMATION – 2 ON 1 HEADRAIL

Minimum Width Per Panel:

- Continuous Cord Loop – 15" NET
- 2 on 1 is not available with any Motorization System
- Center Gap – 1/2"

Minimum Height:

- All Styles – 24"

Minimum and maximum widths and maximum heights for continuous cord loop and retractable cord noted below

Pattern Name	Family Code	Minimum Width per panel	Maximum Overall Width	Maximum Height
Avalon	DS53	15" Net	102"	110"
Beaumont	DS3	15" Net	96"	90"
Buena Vista	DS52	15" Net	102"	92"
Cinema	DS4	15" Net	92"	90"
Definiton	DS6	15" Net	90"	90"
Delicate	DS60	15" Net	102"	90"
Eaton	DS56	15" Net	92"	90"
Elegance	DS59	15" Net	90"	96"
Epicure	DS7	15" Net	100"	90"
Extravagance	DS8	15" Net	100"	90"
Glorious	DS18	15" Net	90"	90"
Indulgence	DS62	15" Net	102"	110"
Knollwood	DS55	15" Net	102"	90"
Knollwood Wide	DS66	15" Net	102"	90"
Lakeside	DS58	15" Net	90"	90"
Lavish	DS50	15" Net	102"	106"
Luminous	DS61	15" Net	96"	90"
Luna	DS65	15" Net	102"	96"
Luxury	DS10	15" Net	100"	90"
Mid Century	DS51	15" Net	102"	110"
Obscure	DS13	15" Net	96"	90"
Palladian	DS14	15" Net	100"	90"
Pressed	DS57	15" Net	102"	90"
Riverside	DS54	15" Net	102"	106"
Serene	DS64	15" Net	102"	96"
Strande	DS16	15" Net	100"	90"
Sublime	DS17	15" Net	90"	90"
Traverse	DS63	15" Net	96"	90"

2-on-1 is not available with Somfy, Simplicity Rechargeable, or PowerWand motorization

SIDE-BY-SIDE VANE ALIGNMENT

When Dual Shades are installed side by side, vane alignment can be guaranteed within 3/8" only if:

- Shades are ordered at the same time and are identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).

ORDERING NOTE

- Finished blind height will always be in the full privacy position – with bands offset
- When you align bands to the view through position, the bottom rail will raise slightly off the window sill – the gap between the sill and bottomrail is approximately 1/2 the band width.

COLOR CHART

Material Name	Color Name	Color #	Cassette Color
Avalon	Powdered Sugar	DS53-8520	White
	Mixing Bowl	DS53-8521	Silver
	Cookie Sheet	DS53-8522	Silver
	Sugar Cookie	DS53-8523	Beige
	Pumpkin Bread	DS53-8524	Dark Brown
	Chocolate Muffin	DS53-8525	Dark Brown
Beaumont	Linen	DS3-2412	Beige
	Pewter	DS3-2407	Silver
	Silver	DS3-2416	Silver
	Steel	DS3-2414	Black
	White	DS3-2401	White
Buena Vista	Seashells	DS52-8470	Beige
	Tidepools	DS52-8471	Beige
	Gray Seas	DS52-8472	Silver
Cinema	Granite	DS4-5125	Silver
	Linen	DS4-5122	Beige
Definition	Arctic	DS6-2550	Silver
	Dusk	DS6-2503	Silver
	Fawn	DS6-2501	Beige
Delicate	White Linen	DS60-8490	White
	Bone China	DS60-8491	White
	Dainty Lace	DS60-8492	Beige
	Classic Silver	DS60-8493	Silver
	Pewter Planter	DS60-8494	Silver
Eaton	Cascading White	DS56-8440	White
	Emerald	DS56-8441	White
	Platinum	DS56-8442	Silver
	Stone	DS56-8443	Silver
Elegance	Simply White	DS59-8480	White
	Sandstone	DS59-8481	Beige
	Smoky Blue	DS59-8482	White
	Twilight Gray	DS59-8483	Black
	Cavernous	DS59-8484	Black
Epicure	Opal	DS7-9702	White
	Quartz	DS7-9701	White
	Storm	DS7-9710	Silver
Extravagance	Dove	DS8-2603	Silver
	Horizon	DS8-2606	White
	Quartz	DS8-2601	White
Glorious	Snow	DS18-6210	White
	Malt	DS18-6212	Dark Brown
	Greystone	DS18-6213	Silver
Indulgence	Milk	DS62-8510	White
	Gray Whisper	DS62-8511	Silver
	Saharan Sands	DS62-8512	Beige
	Coconut Escape	DS62-8513	Dark Brown
	Rustic Taupe	DS62-8514	Dark Brown
Knollwood	White Wood	DS55-8430	White
	Gray Wood	DS55-8431	Silver
Knollwood Wide	White Wood	DS66-8560	White
	Gray Wood	DS66-8561	Silver

Material Name	Color Name	Color #	Cassette Color
Lakeside	White Stripe	DS58-8460	White
	Quartzite Lake	DS58-8461	Silver
	Tranquil Teal	DS58-8462	White
	Emerald Lake	DS58-8463	Silver
	Obsidian Creek	DS58-8464	Black
Lavish	Snowfall	DS50-8400	White
	Mountain Snow	DS50-8401	White
	Shadow White	DS50-8402	Beige
	Silverlake	DS50-8403	Silver
	Autumn Sky	DS50-8404	Silver
	Morning Mist	DS50-8405	White
Luminous	Frost White	DS61-8500	White
	Cloud White	DS61-8501	White
	Dreamy Cotton	DS61-8502	White
	Blue Hue	DS61-8503	White
	Hint of Pink	DS61-8504	White
	Polished Steel	DS61-8505	Silver
Luna	Silver Strand	DS65-8550	Silver
	Pebble	DS65-8551	Black
	Piñon	DS65-8552	Dark Brown
Luxury	Dove	DS10-2803	Silver
	Horizon	DS10-2806	White
	Quartz	DS10-2801	White
Mid Century	Vintage White	DS51-8410	White
	White Sands	DS51-8411	Beige
	Sand Dollar	DS51-8412	Beige
	Bungalow Taupe	DS51-8413	Dark Brown
	Gray Skies	DS51-8414	Silver
Obscure	Barley	DS13-2907	Beige
	Bleach	DS13-2901	White
	Truffle	DS13-2909	Dark Brown
Palladian	Fawn	DS14-0904	Dark Brown
	Glacier	DS14-0901	White
	Ivory	DS14-0902	White
	Shadow	DS14-0910	Silver
Pressed	Autumn Rain	DS57-8450	Silver
	Newport Blues	DS57-8451	Black
	Midnight Blue	DS57-8452	Black
Riverside	Snowcap	DS54-8420	White
	Rain Washed	DS54-8421	White
	Darkness	DS54-8422	Black
Serene	Diamonds	DS64-8540	White
	Satin Pearl	DS64-8541	White
	Silversmith	DS64-8542	Silver
	Gray Noise	DS64-8543	Silver
	Rain Storm	DS64-8544	Black
Strande	Canyon	DS16-3102	Beige
	Coconut	DS16-3101	White
	Java	DS16-3103	Dark Brown
Sublime	Ice	DS17-6100	White
	Opal	DS17-6101	Beige
	Silver	DS17-6102	Silver
	Charcoal	DS17-6103	Black
Traverse	Silver Dollar	DS63-8530	White
	Dried Mint	DS63-8531	White
	Maple Syrup	DS63-8532	Dark Brown
	Natural Stone	DS63-8533	Silver
	Black Limestone	DS63-8534	Black

GROUP 1

• Delicate (102") • Luminous (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$311	340	370	402	431	461	491	521	550	572	612	641	673	703
50"	318	349	381	414	446	477	509	540	572	595	637	668	701	733
60"	326	359	392	427	461	494	527	561	594	618	663	696	731	764
70"	332	368	403	440	475	510	545	580	615	641	688	723	760	795
80"	339	376	413	452	489	526	563	600	637	663	713	750	788	825
90"	347	386	425	465	504	543	582	620	659	687	739	777	818	857
100"	354	394	435	478	518	559	599	640	680	709	764	804	847	887
110"	362	404	447	491	533	576	618	660	703	733	790	832	876	919
120"	369	413	457	503	547	592	636	680	724	756	815	859	905	949

GROUP 2

• Avalon (102") • Beaumont (96") • Elegance (90") • Indulgence (102") • Lavish (102") • Mid-Century (102")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$358	393	429	466	502	537	573	608	643	669	716	752	790	825
50"	367	405	443	483	521	559	597	634	672	700	750	788	828	866
60"	377	418	458	501	541	581	622	662	702	731	785	826	868	908
70"	387	430	472	517	560	603	646	689	731	762	819	862	907	950
80"	396	441	487	534	579	625	670	715	760	793	853	898	946	991
90"	406	454	502	552	599	647	695	743	790	824	888	936	985	1033
100"	416	466	516	568	619	669	719	769	819	855	922	972	1024	1074
110"	426	479	531	586	639	691	744	797	849	887	957	1009	1064	1117
120"	435	491	546	603	658	713	768	823	878	917	991	1046	1103	1158

GROUP 3

• Buena Vista (102") • Knollwood (102") • Knollwood Wide (102") • Strande (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$378	419	460	503	543	584	625	666	707	736	791	832	875	915
50"	391	436	480	527	571	616	660	705	749	781	840	885	931	976
60"	406	454	502	553	601	649	697	745	793	827	891	939	989	1037
70"	420	471	523	577	629	680	732	784	835	872	941	992	1046	1098
80"	433	489	544	601	657	712	767	822	878	917	990	1046	1103	1158
90"	448	507	566	627	686	745	803	862	921	962	1041	1100	1161	1220
100"	462	524	587	651	714	776	839	901	963	1007	1091	1153	1218	1280
110"	476	543	609	677	743	809	875	941	1007	1053	1141	1207	1275	1342
120"	490	560	629	701	771	840	910	980	1049	1098	1191	1260	1332	1402

OPTIONS: EXTRA CHARGE

- Retractable Cord add \$88 per shade

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 2 on 1 Headrail (price as two separate shades)
- Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)
- Cord loop/metal bead chain length override (See Page 9 for Loop Length Options)
- Hold-Down Brackets
- Metal Bead Chain Option (*Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette*)

See page 8 for motorization surcharges

GROUP 4

• Luna - LD (102") • Pressed (102") • Serene - LD (102") • Traverse - LD (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$411	457	503	552	598	645	691	738	784	817	879	925	974	1021
50"	428	478	529	583	633	684	735	786	837	873	941	992	1045	1096
60"	446	501	556	614	670	725	780	836	891	930	1004	1059	1117	1173
70"	463	523	582	645	705	764	824	884	944	986	1066	1126	1188	1248
80"	480	544	609	675	740	804	868	933	997	1042	1128	1192	1259	1323
90"	498	567	636	707	776	844	913	982	1051	1099	1191	1260	1331	1400
100"	515	588	662	737	811	884	957	1031	1104	1155	1253	1326	1402	1475
110"	533	611	689	769	847	925	1002	1080	1158	1212	1316	1394	1474	1552
120"	550	632	715	799	882	964	1046	1129	1211	1268	1378	1460	1545	1627

GROUP 5

• Cinema (92") • Definition - LD (90") • Eaton (92") • Epicure(100") • Glorious (90") • Lakeside (90") • Riverside (102") • Sublime (90")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$443	498	553	611	666	721	776	831	886	925	999	1054	1111	1166
50"	467	528	590	654	715	776	838	899	961	1004	1086	1147	1211	1273
60"	492	560	628	698	765	833	901	969	1036	1084	1174	1242	1312	1380
70"	516	590	664	741	815	889	963	1037	1111	1163	1262	1336	1412	1486
80"	540	620	701	784	864	944	1025	1105	1186	1242	1349	1429	1512	1592
90"	565	652	739	828	914	1001	1088	1175	1261	1321	1437	1524	1613	1700
100"	589	682	775	871	964	1057	1150	1243	1336	1400	1524	1617	1713	1806
110"	614	714	813	915	1014	1113	1213	1312	1412	1480	1613	1712	1814	1913
120"	638	744	850	958	1063	1169	1275	1380	1486	1559	1700	1806	1914	2019

GROUP 6

• Extravagance (100") • Luxury (100") • Obscure - LD (96") • Palladian (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$482	546	610	677	741	805	869	933	996	1041	1127	1191	1257	1321
50"	513	585	657	731	803	875	947	1019	1091	1142	1238	1310	1384	1456
60"	545	625	705	787	867	947	1027	1107	1187	1243	1350	1430	1512	1592
70"	575	663	751	842	930	1018	1106	1194	1282	1343	1460	1549	1639	1727
80"	605	702	798	896	992	1088	1184	1281	1377	1443	1571	1667	1766	1862
90"	637	741	845	952	1056	1160	1264	1368	1473	1544	1683	1787	1894	1998
100"	668	780	892	1006	1119	1231	1343	1455	1567	1644	1794	1906	2021	2133
110"	699	819	940	1062	1182	1303	1423	1543	1663	1746	1906	2026	2149	2269
120"	730	858	986	1117	1245	1373	1502	1630	1758	1846	2017	2145	2276	2404

OPTIONS: EXTRA CHARGE

- Retractable Cord add \$88 per shade

OPTIONS: NO CHARGE – SPECIFY ON ORDER

- 2 on 1 Headrail (price as two separate shades)
- Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)
- Cord loop/metal bead chain length override (See Page 9 for Loop Length Options)
- Hold-Down Brackets
- Metal Bead Chain Option (*Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette*)

See page 8 for motorization surcharges

SIMPLICITY RECHARGEABLE AND POWERWAND OPTIONS:
EXTRA CHARGE – SPECIFY ON ORDER
 USE APPROPRIATE DUAL SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motor.....add \$338 per shade
- 5 Channel Remote Control (Black or White).....(Black Part #CS5138 or White Part #CS5138W)add \$52 each
- Solar Panel.....add \$183 each
- ***Motor is only available on the right side for Simplicity Rechargeable

- PowerWand.....add \$141 per shade
- PowerWand Options (must be specified):
- 1) Control Side (Left or Right)
- 2) Wand Color (Black or White)
- 3) Wand Length: 1 foot (12"), 2 feet (24"), 3 feet (36"), 4 feet (48"), 5 feet (60")

- Plug-in Charger (Can be used for both Simplicity Rechargeable and PowerWand)add \$38 each

SOMFY MOTORIZATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select Somfy power source* when ordering)
 USE APPROPRIATE DUAL SHADE GRID FOR SHADE PRICE, THEN ADD SOMFY EXTRA CHARGE(S) BELOW.

***MOTOR IS ONLY AVAILABLE ON THE RIGHT SIDE FOR SOMFY.

- Radio Frequency (RF) Somfy Motorization Upgrade add \$392 per shade
- Radio Frequency (RF) Remote Control – 1 Channel..... Part #RC445069 add \$123 each
- Radio Frequency (RF) Remote Control – 5 Channel..... Part #RC445079 add \$158 each
- Radio Frequency (RF) Remote Control – 16 Channel ** available as a separate part order only**..... Part #1811081 add \$567 each
- Radio Frequency (RF) Remote Control – Telis Modulis 1 Channel Part #1811234 add \$235 each
- Radio Frequency (RF) Remote Control – Telis Modulis 5 Channel Part #1811235 add \$283 each
- Radio Frequency (RF) Wireless Wall Switch – 1 Channel..... Part #1810897 add \$313 each
- Radio Frequency (RF) Wireless Wall Switch – 5 Channel..... Part #1810813 add \$313 each
- Radio Frequency (RF) Programmable Timer – 1 Channel Part #1805237A..... add \$498 each
- RTS – Smoove 1 RTS..... Part #1811533 add \$162 each
- RTS – myLink RTS Interface..... Part #1811403 add \$464 each

- Radio Frequency (RF) Transformer Part #1822445 add \$168 each
- Li-Ion Battery Pack - Rechargeable.....add \$137 each
- Li-Ion Charger.....add \$38 each
- 95" Charger Extension Wireadd \$22 each

- Radio Frequency (RF) Battery Wand Extension Wire – 10" Part #9018686A..... add \$13 each
- Radio Frequency (RF) Battery Wand Extension Wire – 48" Part #9016736 add \$18 each
- Radio Frequency (RF) Battery Wand Extension Wire – 96" Part #9018624 add \$24 each

- Solar Recharge Kit (**batteries NOT included**)Part #9019034add \$327 each
(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)
- NiMH Rechargeable Batteries (quantity of 10)Part #9018621add \$92 each
- Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable)Part #9018620add \$324 each
- 48" Extension Cable for Y Harness.....Part #9016736add \$21 each


Notes: * Somfy power source options: Rechargeable Li-Ion Battery Pack and Transformer (plugs into standard wall outlet)

When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.

PRODUCT SPECIFICATIONS

Cassette Measurement

- 3-5/8" wide x 3" high



Mounting Requirements

Inside Mount

- Minimum shallow mounting surface: 1-1/2"
- Minimum flush inside mounting including brackets for cassette: 3-3/4"

Outside Mount

- Minimum outside mount surface: 1-1/2"


Hardware Colors

Cassette available in white, beige, black, dark brown and anodized silver.

- A matching fabric insert in headrail is a standard feature
Please Note: on certain fabrics with narrower bands, the fabric insert will feature both the solid fabric and the sheer.
- Fabric-wrapped bottomrail is a standard feature (non-wrapped bottomrail optional)
- Universal metal bracket will be supplied
- Cord loops and tensioners are color-coordinated

Metal Bead Chain Option

- Metal Chain optional in the following colors: Black Nickel, Oil Rubbed Bronze, Antique Brass, Stainless Steel.
(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette)



Cord Loop, Metal Beaded Chain Lengths

SHADE HEIGHT	LOOP DROP
24" - 39 7/8"	24" loop
40" - 59 7/8"	36" loop
60" - 83 7/8"	48" loop
84" - 107 7/8"	60" loop
108" - 120"	72" loop

12" Cord Loop (white only) and 12" Metal Bead Chain override option is available. Metal Bead Chain will be in color selected.

Please Note: Environmental conditions, such as heat, humidity, etc., may result in light bowing, puckering and dimpling of the fabric which is considered normal. Some fabrics may lightly fray which is considered normal and within specifications.

FINISHED DIMENSIONS

	Continuous Cord Loop	Retractable Cord	Somfy Motorization	Simplicity Rechargeable	PowerWand
	INSIDE MOUNT				
Cassette width	minus 1/4"	minus 1/4"	minus 1/4"	minus 1/8"	minus 1/8"
Tube Width	minus 1-1/8"	minus 1-1/4"	minus 1-1/8"	minus 1"	minus 1"
Fabric width	minus 1-1/4"	minus 1-3/8"	minus 1-1/4"	minus 1-1/8"	minus 1-1/8"
Bottom rail outer width	minus 1-3/16"	minus 1-1/2"	minus 1-3/16"	minus 1-1/16"	minus 1-1/16"
Bottom rail inner width	minus 1-3/8"	minus 1-1/4"	minus 1-3/8"	minus 1-1/4"	minus 1-1/4"

Deductions noted are taken from **Ordered Width**

	Continuous Cord Loop	Retractable Cord	Somfy Motorization	Simplicity Rechargeable	PowerWand
	OUTSIDE MOUNT				
Cassette width	ordered width	order width	ordered width	ordered width	ordered width
Tube Width	minus 7/8"	minus 1"	minus 7/8"	minus 7/8"	minus 7/8"
Fabric width	minus 1"	minus 1-1/8"	minus 1"	minus 1"	minus 1"
Bottom rail outer width	minus 5/16"	minus 1-1/4"	minus 5/16"	minus 5/16"	minus 5/16"
Bottom rail inner width	minus 1-1/8"	minus 1"	minus 1-1/8"	minus 1-1/8"	minus 1-1/8"


Deductions noted are taken from **Ordered Width**

For IB and OB, Shade Height is **Ordered Height**


	Continuous Cord Loop	Retractable Cord	Somfy Motorization	Simplicity Rechargeable	PowerWand
Minimum Width (NET)	15"	15"	18"	19"	21"
Minimum Height	24"	20"	24"	20"	20"

STANDARD DUAL SHADES OPERATION

CAUTION: Make sure there are no obstacles or anything resting on the Dual Shade fabric during the operation. Contact of the screen with objects may cause lateral shifting.




Pull the front of the cord loop to raise the shade.



Pull the back of the cord loop to lower the shade.

RETRACTABLE CORD DUAL SHADES OPERATION


CAUTION: To avoid damage to the shade or personal injury, do not use excessive force or long strokes when pulling the cord. Also, do not release the cord until it is fully retracted.



To Lower the Shade and Transition the Band Position

- Hold the cord toward you and away from the shade.
- Pull the cord using short, even strokes.

Allow the cord to retract after each stroke. Continue until the shade is at the desired height or the bands are aligned at the desired position.



To Raise the Shade and Transition the Band Position


- Hold the cord close to the shade.
- Pull straight down using short, even strokes. Allow the cord to retract after each stroke. Continue until shade is at the desired height or the bands are aligned at the desired position.

IMPORTANT: Avoid pulling the cord in the non-operable zone shown in the illustration.

SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



Please Note:

- Motor is only available on the right side.
- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

PowerWand™ Motorization


- Dual Shades can be fabricated with the PowerWand Rechargeable Push Button Control option. The PowerWand Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand Rechargeable uses Simplicity motors and components.

PowerWand Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.


PowerWand Appearance

- The PowerWand Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with
Plug-In Charger

PowerWand Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



SOMFY MOTORIZATION: OVERVIEW

With Somfy motorized shades, enjoy a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.

An ideal solution is to manage glare with a Somfy hand-held remote control. At the simple touch of a button, shades will open or close to adjust to the changing sunlight in a room.



Somfy Radio Frequency (RF) motorized shades provide ultra-quiet operation. The system can operate shades from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is also available in a 5 or 16 channel version. The multi-channel RF system allows for independent control of individual shades and/or group control.



Somfy motorization systems provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.



The Somfy RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered Somfy RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.



The Smooove® 1 RTS surface-mounted wall switch avoids cutting into drywall. This single channel, battery-operated solution is easy to install, and doesn't require an electrician. It's an intuitive, surface mount control.



The myLink™ RTS Smartphone and Tablet Interface is a WiFi to Radio Technology Somfy® (RTS) bridge that can control up to 5 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices. Through the app, users can send immediate RTS commands, create scenes (a group of motorized products working together) and schedules (timed events). Users may access their myLinks from anywhere with the app's remote access feature. Though the myLink is a single-zone controller, multiple myLinks can be joined within the same system for multi-zone control.



Somfy motorized shades are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.



SOMFY™ MOTORIZATION: FEATURES & OPTIONS



RADIO FREQUENCY (RF) MOTORIZATION FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shades up to 8 LBS.
- Quiet operation
- Motor is fully enclosed within the headrail
- Installs with standard installation hardware
- RF motor is programmable


Note: The power source must be selected when ordering. The options are:

Li-ion rechargeable battery pack, the plug-in transformer and the WireFree™ Solar Pack Kit




 Radio Frequency (RF) Somfy Motor Motor (Part #1240292) Crown (Part #9018588A) Drive (Part #9018477)	• Fully concealed motor unit • Adjustable speed (10-28 rpms) • Soft Stop, Soft Start • Sleep Mode option available
 Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079) (Telis Modulis 5-Channel: Part #1811235) (16-Channel: Part #1811081 – available as a separate part order only)	• Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation • 5-channel remote programming can be done by special request prior to shipping. Contact customer service with your programming instructions otherwise all shades will be programmed on channel 1.
 Li-ion Rechargeable Battery Pack (Part #1019535)	• Rechargeable 12 V Lithium-ion Battery • Approximately 500 up/down cycles per each full charge • Discreet design allows for placement in smaller window openings • More power for increased battery life • Can be used with pre-existing and new installations • Window covering can be operated while charging battery
 Transformer 10' Cable (Part #1822445)	• Plug-in operation, no batteries required • Works in standard wall outlet (10' wire length)
 Charger Wirefree Sonesse 30 Ultra (Part #9025166)  Extension Cable Sonesse 30 Ultra 94.5" (Part #9021016)  Extension Cable Sonesse 30 Ultra 7.87" (Part #9021131)	• Plug-in operation, no batteries required • Works in standard wall outlet (10' wire length)
 Extension Wires(between motor and battery pack) Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)	• Available in 10", 48" and 96" • Allows Li-ion rechargeable battery pack to be installed away from the tube.
 Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #1810897) (5 Channel: Part #1810813)	• Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 Programmable Timer 1 Type: programmable 1-channel (Part #1805176)	• Program operation based on pre-set times • Excellent home security feature
 Smoove 1 RTS – single channel surface mount control Color: Pure (Part #1811533)	• Battery operated • Tactile buttons for UP/DOWN/MY/STOP control • LED for visual feedback
 myLink Interface Color: White (Part #1811403)	• Smartphone and Tablet Interface 120V AC • App Control • Remote Access • Compatible and controls all Radio Technology Somfy RTS products. • Can control up to 5 channels of RTS motorized products using myLink apps for iOS and Android devices.
WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034) Photovoltaic Panel  "Y" Harness (Part #9018625)  Battery + Battery Tube (Part #9018621)  Accessories Plug-in AC battery (Part #9018620) rapid charger (required for charging battery prior to installation) 	• Uses sunlight to power a motorized shade. • Easy to install. Low profile, easy to conceal. • Solar Recharge Kit (batteries NOT included) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.) • NiMh Rechargeable Batteries (quantity of 10) (Part #9018621) • Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9018620) • 48" Extension Cable for Y Harness (Part #9016736)

PRODUCT COMPONENTS – STANDARD



PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION



PRODUCT COMPONENTS – POWERWAND MOTORIZATION

