



HONEYCOMB

SHADES

Effective February 3, 2020 (Revised 5/15/20)

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits	2
• Pattern Information	3
• Fabric and Rail Color Charts	4-9

Pricing for Standard Rectangular, Options, RemoteLift 2.0, Simplicity Surcharges

• Price Groups 1-12 Honeycomb Fabrics	10-21
• Price Group 13 – 2" Hybrid Pleat – Semi-Opaque	22
• Price Group 14 – 2" Hybrid Pleat – Blackout	23
• Linen Allure-Dimensions	24
• Linen Allure-Hybrid Pleat	25
• Motorization Surcharges and Options	26

Product Configuration Specifications

• Standard Cordlock	27
• Two-on-One Headrail	28
• Top-Down or Top-Down/Bottom-Up	29
• Two-Fabric Combination	30
• Cut-Outs	30
• Cordless Lift	31
• Cordless Lift & Lock	32
• Continuous Cord Loop	33-34

TriLight Shades®

• Features & Benefits	35
• Selecting a TriLight Shade	35
• Sheer Pleated Color Chart	36
• Pricing Groups and Options	37
• Configuration Specifications	38-40
• Stacking Information	38-40

Product Configuration Specifications

• RemoteLift™ 2.0 Motorization	41-45
• Simplicity and PowerWand™	46-51
• Vertical Application	52-56
• Classic Skylight & Skylight with Simplicity Motorization	57-60
• Arches	61-62
• Specialty Shapes	63-64
• Size Standards Summary	65-70
• Product Components Diagrams	71-82

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical Applications over 96" in height) are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Their distinctive cellular construction helps insulate homes and reduce heating and cooling bills.
- Their superior sound absorption helps make surroundings quieter and more comfortable.
- 100% stain-resistant polyester fabric is wrinkle-resistant and easy to clean and maintain – most fabric styles are completely washable.
- Color choices include over 200 options from neutrals and bold colors to exclusive prints and solids.
- Multiple cell size choices, including 2" Hybrid Pleat, cover small- to large-scale windows, plus sliding glass doors.
- Fabric opacities range from sheer and semi-sheer to blackout, offering privacy and light control versatility. FR fabrics are also available.
- The neutral white backing on most fabric styles provides a consistent appearance to the outside of the home.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, vertical application and motorized control, to fit any need.
- Cordless lift, cordless lift & lock, continuous cord loop, RemoteLift 2.0 shades, and Simplicity shades are available with Fabric Covered rails for a surcharge.
- Optional color-coordinated rails are available at no additional cost.
- Features TriLight Shades® for enhanced versatility.
- Limited lifetime warranty ensures your customers' satisfaction.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Price Group (Standard)	Winter R-Values	Summer Solar Heat Gain Coefficient	Care Code	Light Control	Hardware Restrictions	Hardware Options
3/8" Marcella	H44	Single	2	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	• Standard Cordlock • Continuous Cord Loop System • Continuous Cord Loop Top-Down/ Bottom-Up • Cordless Lift System • Cordless Lift & Lock • Two-Fabric Combination • Top-Down • Top-Down/ Bottom-Up • Two-On-One Headrail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight
3/8" Opulence	H40	Single	3	4.45	0.35	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Opulence Blackout	H41	Single	10	5.89	0.21	1, 2 & 3	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/4" Cardiff	H91	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Glimmer	HS3	Single	6	5.00	0.41	1, 2 & 3	C	—	
3/4" Linen	H27	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Marcella	H45	Single	4	5.00	0.41	1, 2 & 3	C	—	
3/4" Marcella Blackout	H46	Single	9	5.88	0.20	1, 2 & 3	E	—	
3/4" Melodic	HX6	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Mirada	H92	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence	H28	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence Blackout	H29	Single	11	4.87	0.25	1, 2 & 3	E	—	
3/4" Peaceful	H96	Single	12	4.49	0.36	1, 2 & 3	C	Arches	
3/4" Radiance	HF6	Single	1	4.49	0.36	1, 2 & 3	C	—	
3/4" Radiance Blackout	HF7	Single	7	5.88	0.20	1, 2 & 3	E	—	
3/4" Serene FR*	H62	Single	6	5.16	0.36	1, 2 & 3	C	—	
3/4" Serene FR Blackout*	H60	Single	11	5.74	0.25	1, 2 & 3	E	—	
3/4" Tiffany Sheer	H25	Single	11	3.72	0.22	1, 2 & 3	A	TriLight	
3/4" Tranquility Semi-Sheer	H24	Single	11	4.07	0.41	1, 2 & 3	B	TriLight, Vertical Application	
1/2" Marcella Double Cell	H47	Double	5	5.26	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Opulence Double Cell	H39	Double	8	4.78	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
3/8" Tricella Triple Cell	H58	Triple	11	5.78	0.20	1, 2 & 3	C	Cordless, Cordless Lift & Lock, Cordless TDBU, Cordless Two-Fabric Combo, Vertical App, Skylight, Top-Down Arch, Motorization, TriLight	
2" Hybrid Pleat – Semi-Opaque	HPF	Single	13	4.53	N/A	1, 2 & 3	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Singe	14	4.78	N/A	1, 2 & 3	E	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	

* Flame Resistant – Passes Flame Test NFPA 701

Winter R-Values

R-Value measures resistance to heat loss. The higher the R-Value, the more insulation the product provides. In winter, higher insulation means less heat loss and a warmer room. (Double glaze window.)

Summer Solar Heat Gain Coefficient

Coefficient measures the products ability to reduce heat gain from the sun. The lower the number, the less solar energy it transmits. In summer, less heat transmitted means a cooler room. (Double glaze window.)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Semi-Opaque (Price Group 2)				
H44	807	Almond Glaze	630	N/A
H44	808	Brown Sugar	083	
H44	804	Crepe Souffle	882	
H44	803	Jasmine Wisp	674	
H44	802	Mountain Mist	862	
H44	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 3)				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	608	Cocoa	810	
H40	603	Doe	862	
H40	604	Fallen Snow	882	
H40	612	Gentle White	661	
H40	615	Sagebrush	621	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 10)				
H41	628	Cloud Puff	661	N/A
H41	703	Doe	674	
H41	702	Soft White	785	
H41	632	Tranquil Tea	954	

CODE KEY: HEADRAIL	
STD = Standard Cordlock (Cordless Lift, Continuous Cord Loop, Simplicity and RemoteLift shades with coordinated rail.)	
VA = Vertical Application shades	

Hardware Colors			
		STD	VA
018	Satin Silver	X	N/A
048	Black	X	X
082	Camel	N/A	X
083	Cocoa	X	X
127	Cameo	X	N/A
135	Whisper Heather	X	N/A
276	Silverado	N/A	X
320	Rich Cream	X	N/A
361	Tender Taupe	X	N/A
405	Gray Flannel	X	N/A
450	Skyline	X	N/A
621	Putty	X	N/A
630	Gold Leaf	X	N/A
661	White Tiara	X	X
674	Bamboo Stalk	X	N/A
685	Blue Sky	X	N/A
765	Silver Maple	X	N/A
785	Aspen White	X	X
810	Mushroom	X	X
841	Dark Blonde	N/A	X
849	Mocha	X	N/A
862	Gardenia White	X	X
882	Honey Bisque	X	X
885	Flex White	X	N/A
952	Pristine Beach	X	N/A
954	Tranquil Tea	X	N/A
956	Renaissance Clay	X	N/A
958	Velvet Fern	X	N/A
960	Terra Cotta Urn	X	N/A

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Semi-Opaque, Semi-Sheer & Sheer)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
CARDIFF Semi-Opaque (Price Group 6)				
H91	3002	Distant Range	320	862
H91	3003	Haystack	954	661
H91	3006	Riverfront	810	810
H91	3005	Skipping Stones	765	276
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	083	083
GLIMMER Semi-Opaque (Price Group 6)				
HS3	854	Copper Blaze	960	083
HS3	668	Copper Radiance	954	082
HS3	911	Copper Sage	958	785
HS3	989	Gold Brilliance	882	882
HS3	468	Gold Leaf	630	862
HS3	955	Gold Shimmer	862	862
HS3	682	Silver Birch	862	862
HS3	829	Silver River	765	661
HS3	686	Silver Truffle	810	810
LINEN Semi-Opaque (Price Group 6)				
H27	454	Dried Sage	621	862
H27	451	French Vanilla	882	882
H27	452	Harvest	630	841
H27	453	Khaki	630	841
MARCELLA Semi-Opaque (Price Group 4)				
H45	807	Almond Glaze	630	862
H45	808	Brown Sugar	083	083
H45	804	Crepe Souffle	882	882
H45	805	Fresh Toffee	952	082
H45	822	Grey Linen	765	276
H45	803	Jasmine Wisp	674	862
H45	8701	Mocha Brownie	810	810
H45	802	Mountain Mist	862	862
H45	821	Pearly Beige	862	862
H45	8703	Serious Gray	405	276
H45	8700	Spanish Olive	621	862
H45	801	Sugar Cane	661	661
MELODIC Semi-Opaque (Price Group 6)				
HX6	1053	Ballet	862	862
HX6	1051	Bravado	661	661
HX6	1089	Charango	862	862
HX6	1018	Ginger	320	862
HX6	1465	Jade	135	785
HX6	1469	Jave	849	810
HX6	1084	Meseno	810	810
HX6	1016	Padoanna	450	661
HX6	1055	Timbre	810	810
MIRADA Semi-Opaque (Price Group 6)				
H92	3021	Bungalow Brown	361	810
H92	3022	Lazy Day	785	785
H92	3025	Marina Gray	765	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	862	862

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL	
STD	Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)
VA	Vertical Application shades

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 6)				
H28	651	Accent Grey	765	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	608	Cocoa	810	810
H28	622	Country Road	621	862
H28	603	Doe	862	862
H28	604	Fallen Snow	882	882
H28	635	Fudge Truffle	954	082
H28	621	Gentle White	661	661
H28	653	Golden Sage	630	841
H28	652	Grey Stone	765	276
H28	5021	Nantucket Gray	405	276
H28	5022	Newport Gray	405	276
H28	631	Pristine Beach	954	082
H28	5020	Regal Taupe	810	810
H28	634	Renaissance Clay	956	862
H28	615	Sagebrush	621	785
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	607	Taupe	127	862
H28	632	Tranquil Tea	954	082
H28	637	Warm Cocoa	361	810
H28	618	White Azalea	661	661
PEACEFUL Semi-Opaque (Price Group 12)				
H96	2222	Barely Beige	862	862
H96	2228	Blue Skies	450	661
H96	2225	Canyon Walls	954	082
H96	2229	Casting Pond	450	661
H96	2224	Country Crossing	882	882
H96	2223	Desert Dunes	862	862
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	810	810
H96	2227	Fallen Leaves	862	862
H96	2230	Mountain Meadow	135	785
H96	2220	Zephyr	661	661
RADIANCE Semi-Opaque (Price Group 1)				
HF6	445	Aged Brass	621	785
HF6	444	Aged Leather	083	083
HF6	439	Golden	630	862
HF6	458	Pewter	765	661
HF6	416	Primrose	630	862
HF6	448	Rosemary	958	785
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SERENE FR Semi-Opaque (Price Group 6)				
H62	263	Blanched Almond	862	862
H62	261	Lemon Chiffon	785	785
H62	262	Pearl Shell	882	882
H62	260	Snow White	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer (Price Group 11)				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer (Price Group 11)				
H24	273	Desert Sand	320	N/A
H24	272	Pale Rose	320	
H24	274	Soft Buttercup	674	
H24	271	White Linen	661	

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Blackout (Price Group 9)				
H46	807	Almond Glaze	630	862
H46	808	Brown Sugar	954	083
H46	804	Crepe Souffle	882	882
H46	822	Grey Linen	765	276
H46	803	Jasmine Wisp	674	862
H46	802	Mountain Mist	862	862
H46	821	Pearly Beige	862	862
H46	801	Sugar Cane	661	661
OPULENCE Blackout (Price Group 11)				
H29	606	Biscuit	882	882
H29	628	Cloud Puff	661	661
H29	652	Deep Slate	685	661
H29	603	Doe	862	862
H29	690	Grey Stone	765	276
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	785	785
H29	617	Sunbeam	862	862
H29	607	Taupe	127	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	849	810
H29	618	White Azalea	885	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
RADIANCE Blackout (Price Group 7)				
HF7	445	Aged Brass	621	785
HF7	444	Aged Leather	083	083
HF7	439	Golden	630	862
HF7	458	Pewter	765	661
HF7	416	Primrose	630	862
HF7	448	Rosemary	958	785
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout (Price Group 11)				
H60	163	Blanched Almond	862	785
H60	160	Cool White	661	661
H60	161	Lemon Chiffon	785	785
H60	162	Pearl Shell	882	882

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell & 3/8" Triple Cell Fabrics

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell (Price Group 5)				
H47	807	Almond Glaze	630	N/A
H47	808	Brown Sugar	083	
H47	804	Crepe Souffle	882	
H47	822	Grey Linen	765	
H47	803	Jasmine Wisp	674	
H47	802	Mountain Mist	862	
H47	821	Pearly Beige	862	
H47	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell (Price Group 8)				
H39	651	Accent Grey	765	N/A
H39	606	Biscuit	882	
H39	636	Chocolate Bliss	083	
H39	608	Cocoa	810	
H39	603	Doe	862	
H39	604	Fallen Snow	882	
H39	635	Fudge Truffle	954	
H39	652	Grey Stone	765	
H39	615	Sagebrush	621	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	361	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TRICELLA Triple Cell (Price Group 11)				
H58	100	Cotton Bloom	661	N/A
H58	108	Dreamy Sunset	952	
H58	110	Foxy Gray	765	
H58	106	Malibu Coast	630	
H58	104	Sand Castle	862	
H58	102	Sun Glow	862	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 13)				
<i>Coordinates with Opulence colors of the same name</i>				
HPF	851	Accent Gray	765	276
HPF	808	Cocoa	810	810
HPF	803	Doe	862	862
HPF	852	Grey Stone	765	276
HPF	801	Soft White	661	661
HPF	817	Sunbeam	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 14)				
<i>Coordinates with Opulence colors of the same name</i>				
HPR	828	Cloud Puff	661	661
HPR	812	Deep Slate	450	661
HPR	803	Doe	862	862
HPR	807	Taupe	127	862
HPR	832	Tranquil Tea	954	082
HPR	837	Warm Cocoa	810	810

CODE KEY: HEADRAIL	
OPTION	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.
VA	= Vertical Application shades

LINEN ALLURE FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - 2" HYBRID PLEAT - Semi-Opaque				
HP85	6080	Sunshine	674	862
HP85	6081	Coastal Bluff	882	882
HP85	6082	Fall Meadow	882	882
HP85	6083	Icy Pond	018	276
HP85	6084	Country Road	405	276
HP85	6085	Stepping Stone	405	276

TRIMBELLE - 2" - HYBRID PLEAT - Semi-Opaque				
HP84	6070	White Bouquet	785	785
HP84	6071	Seawall	810	810
HP84	6072	Hidden Lake	450	276
HP84	6073	Desert Grasslands	882	882
HP84	6074	Ocean Trails	630	841
HP84	6075	Boardwalk	621	841

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - DIMENSIONS - Semi-Opaque				
DM85	7080	Sunshine	674	N/A
DM85	7081	Coastal Bluff	882	
DM85	7082	Fall Meadow	882	
DM85	7083	Icy Pond	018	
DM85	7084	Country Road	405	
DM85	7085	Stepping Stone	405	

TRIMBELLE - DIMENSIONS - Semi-Opaque				
DM84	7070	White Bouquet	785	N/A
DM84	7071	Seawall	810	
DM84	7072	Hidden Lake	450	
DM84	7073	Desert Grasslands	882	
DM84	7074	Ocean Trails	630	
DM84	7075	Boardwalk	621	

LINEN ALLURE INHERENT CHARACTERISTICS



Linen Allure fabrics contain unique fibers which can create variations in the weave.

Inherent Characteristics include:

Loose threads along the edge of the fabric – Because threads are dispersed randomly, occasionally one will land along the edge of the shade. Simply trim these threads after installation.

More prominent threading –

The material is less uniform than traditional honeycomb fabric. This can lead to areas of more prominent threading. While part of the beauty of Linen Allure, it is more apparent on the darker colors.



Puckering – Due to the unique cell structure of the Dimensions fabric slight dimpling can occur across the front of the cascading profile. This phenomenon is more noticeable on larger shades and darker colors.



We think you will agree these characteristics create a beautiful, free flowing look.

ORDERING NOTES: Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order.

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

GROUP 1 (Standard Rectangular)

• 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$121	137	154	174	191	208	226	242	261	298	336	375	413
42"	130	147	168	191	208	227	248	268	287	330	371	414	458
48"	139	161	181	204	226	248	269	292	314	360	409	452	502
54"	146	170	194	220	242	266	291	316	340	390	442	494	545
60"	156	179	208	233	259	286	310	339	368	422	476	535	588
66"	166	191	222	249	277	306	334	363	391	452	513	571	633
72"	174	201	233	264	296	326	356	388	418	484	547	612	678
78"	181	212	245	276	313	344	379	412	447	512	582	651	722
84"	189	223	258	292	328	360	395	431	466	538	613	683	761
90"	197	232	269	306	344	382	417	457	494	571	648	725	804
96"	204	241	282	320	360	396	439	476	515	596	679	761	843
108"	223	262	305	347	393	433	477	523	568	655	743	832	925
120"	236	283	333	379	427	472	522	570	616	710	811	909	998

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 2 (Standard Rectangular)

• 3/8" Marcella (H44)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$121	137	154	174	191	208	226	242	261	298	336	375	413	452	487
42"	130	147	168	191	208	227	248	268	287	330	371	414	458	501	541
48"	139	161	181	204	226	248	269	292	314	360	409	452	502	547	594
54"	146	170	194	220	242	266	291	316	340	390	442	494	545	599	649
60"	156	179	208	233	259	286	310	339	368	422	476	535	588	646	699
66"	166	191	222	249	277	306	334	363	391	452	513	571	633	694	754
72"	174	201	233	264	296	326	356	388	418	484	547	612	678	739	806
78"	181	212	245	276	313	344	379	412	447	512	582	651	722	789	859
84"	189	223	258	292	328	360	395	431	466	538	613	683	761	832	907
90"	197	232	269	306	344	382	417	457	494	571	648	725	804	882	958
96"	204	241	282	320	360	396	439	476	515	596	679	761	843	924	
108"	223	262	305	347	393	433	477	523	568	655	743	832	925		
120"	236	283	333	379	427	472	522	570	616	710	811	909			
132"	253	303	354	407	460	510	564	614	665	770	878				
144"	268	322	381	433	493	546	602	657	711	827					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$20
 - **Top-Down & Top-Down/Bottom-Up**add \$80
 - **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
 - **5' to 10' Cordless Extension Pole #400036-81511**\$34
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 3 (Standard Rectangular)

• 3/8" Opulence (H40)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$128	145	163	184	204	220	239	258	276	316	356	398	438	480	517
42"	136	156	179	202	220	241	264	283	304	348	393	439	486	530	573
48"	147	168	191	214	239	264	285	309	333	382	432	482	532	583	631
54"	155	179	207	233	258	282	308	335	361	415	468	523	580	634	688
60"	164	189	220	245	274	303	331	359	388	448	505	567	625	686	742
66"	177	204	235	265	295	326	354	385	415	480	546	605	673	736	801
72"	184	212	245	280	314	345	379	412	444	514	583	650	721	788	856
78"	191	224	261	294	332	364	402	437	474	545	619	693	765	839	912
84"	200	236	272	309	347	382	420	459	495	570	651	727	808	884	964
90"	209	245	286	326	364	405	443	485	524	604	687	769	853	937	1019
96"	214	256	298	341	382	421	464	505	549	633	722	807	894	980	
108"	236	277	323	370	416	461	509	553	601	696	790	884	982		
120"	250	300	352	402	454	501	552	603	654	755	860	965			
132"	267	320	375	431	489	543	597	652	705	818	932				
144"	283	343	404	461	522	582	639	699	758	880					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 4 (Standard Rectangular)

•3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$128	142	163	181	200	215	233	254	270	308	348	386	424	462	499	596
42"	137	156	177	200	220	241	261	283	304	346	389	432	477	522	566	670
48"	144	167	191	214	236	258	282	304	330	375	423	470	519	569	614	733
54"	151	175	201	227	254	276	303	327	353	401	457	508	565	612	665	794
60"	164	189	218	243	271	300	326	355	383	440	496	552	613	668	726	864
66"	174	202	232	262	293	324	354	384	415	476	540	601	665	727	788	943
72"	185	210	243	276	309	340	373	407	440	504	572	641	704	772	835	1003
78"	194	227	263	298	335	368	402	440	476	546	621	694	768	841	912	1092
84"	204	238	276	315	354	389	427	465	504	579	657	735	816	890	968	1162
90"	212	252	292	333	375	413	452	494	536	617	698	781	864	947	1030	1236
96"	222	262	304	347	391	431	475	518	564	649	737	823	912	999	1085	1252
108"	238	283	333	379	427	472	518	569	616	708	805	902	999	1092	1190	1428
120"	262	309	364	417	471	523	574	627	680	784	891	999	1107	1211	1319	1583
132"	282	339	395	456	514	571	627	686	743	861	979	1097	1218	1329	1451	
144"	297	360	423	487	547	610	670	734	799	924	1048	1173	1302	1427	1549	
156"	316	385	457	522	593	658										
168"	337	411	487	558	633											
174"	354	433	515	594	670											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$20
 - **Top-Down & Top-Down/Bottom-Up**add \$80
 - **Continuous Cord Loop***add \$50
– **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$80
– **Two-On-One Headrail*** price as 2 separate shades and add \$160
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Three-On-One Headrail*** price as 3 separate shades and add \$240
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Top-Down/Bottom-Up***add \$160
 - **Cordless Lift & Lock**add \$40
– **Cordless Lift & Lock Two-On-One Headrail**add \$80
– **Cordless Lift & Lock Three-On-One Headrail**add \$120
– **Top-Down/Bottom-Up***add \$120
– **Premium Headrail Upgrade***add \$13
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
 - **5' to 10' Cordless Extension Pole #400036-81511**\$34
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 5 (Standard Rectangular)

• 1/2" MARCELLA (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$134	150	171	192	212	228	248	268	287	328	370	410	451	490	529
42"	145	165	186	212	232	255	275	300	321	366	414	459	506	551	600
48"	152	178	202	227	252	272	298	322	348	396	449	499	550	602	649
54"	161	185	214	241	268	294	320	346	373	426	485	539	596	647	703
60"	174	200	231	259	288	317	345	376	407	465	526	587	648	706	768
66"	184	215	245	276	309	342	375	409	440	505	572	636	703	769	838
72"	194	224	259	294	330	361	395	430	465	535	607	678	748	817	885
78"	206	241	278	316	355	389	427	465	505	579	658	734	814	891	967
84"	216	254	294	334	375	414	454	494	535	615	698	781	864	943	1028
90"	225	265	308	353	396	437	479	524	568	654	738	826	918	1005	1091
96"	234	276	322	369	416	458	504	549	595	687	782	873	967	1058	1148
108"	254	300	353	400	454	502	549	602	652	752	853	955	1058	1159	1263
120"	276	330	386	442	499	552	610	666	723	832	944	1058	1173	1285	1398
132"	298	358	420	484	545	605	667	728	788	913	1039	1163	1290	1410	1537
144"	315	382	449	514	580	646	709	780	847	978	1110	1245	1380	1513	1643

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

- 3/4" CARDIFF (H91)
- 3/4" MELODIC (HX6)
- 3/4" SERENE FR (H62)
- 3/4" GLIMMER (HS3)
- 3/4" MIRADA (H92)
- 3/4" LINEN (H27)
- 3/4" OPULENCE (H28)

GROUP 6 (Standard Rectangular)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$147	166	190	212	234	253	274	297	317	362	411	453	499	543	586	701
42"	161	182	206	234	258	282	305	332	356	407	458	509	563	613	665	787
48"	168	196	224	252	277	302	331	357	386	441	496	551	612	668	722	862
54"	178	205	235	266	297	326	355	384	414	472	537	596	661	720	781	934
60"	192	222	256	286	319	350	383	417	450	515	583	650	721	784	851	1016
66"	204	236	271	306	344	381	415	451	487	560	633	705	781	853	928	1108
72"	216	246	286	326	363	399	439	476	515	592	672	751	828	907	981	1177
78"	228	266	308	349	393	431	474	515	560	644	731	814	902	988	1072	1285
84"	237	280	326	370	415	458	503	546	592	681	773	864	959	1046	1137	1367
90"	248	294	342	389	440	485	532	580	627	726	820	918	1016	1113	1210	1453
96"	260	306	357	410	460	508	558	610	659	762	866	968	1072	1172	1275	1471
108"	280	332	389	445	503	555	610	668	725	834	945	1060	1172	1285	1401	1681
120"	306	363	427	490	552	614	674	736	800	922	1047	1172	1301	1425	1549	1862
132"	331	396	465	536	606	670	737	807	875	1012	1152	1290	1431	1565	1704	
144"	348	422	496	571	645	716	787	863	938	1085	1232	1380	1532	1679	1822	
156"	371	452	537	613	698	775										
168"	395	482	572	656	745											
174"	416	510	607	699	787											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 7 (Standard Rectangular)

• 3/4" RADIANCE BLACKOUT (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$158	177	202	226	249	268	292	315	337	385	433	480	531
42"	170	193	218	249	272	300	324	350	379	430	487	540	595
48"	180	208	236	266	296	320	349	381	411	468	526	586	648
54"	189	217	252	283	315	345	378	409	439	502	569	631	701
60"	205	234	271	303	339	372	407	443	476	546	619	692	762
66"	216	253	290	326	364	402	440	477	515	593	672	750	827
72"	229	262	303	345	386	424	465	505	546	627	711	797	881
78"	242	283	328	371	417	458	503	546	593	682	776	863	957
84"	254	298	345	391	440	487	535	580	627	724	820	918	1017
90"	263	313	363	414	466	513	565	617	667	768	869	973	1078
96"	275	326	381	432	489	539	592	647	700	808	920	1028	1136
108"	298	350	414	471	535	589	647	707	766	885	1004	1125	1244
120"	326	386	454	519	587	650	716	782	848	978	1110	1244	1380

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 8 (Standard Rectangular)

• 1/2" OPULENCE (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$158	177	202	226	249	268	292	315	337	385	433	480	531	577	621
42"	170	193	218	249	272	300	324	350	379	430	487	540	595	649	704
48"	180	208	236	266	296	320	349	381	411	468	526	586	648	707	763
54"	189	217	252	283	315	345	378	409	439	502	569	631	701	761	827
60"	205	234	271	303	339	372	407	443	476	546	619	692	762	832	903
66"	216	253	290	326	364	402	440	477	515	593	672	750	827	904	983
72"	229	262	303	345	386	424	465	505	546	627	711	797	881	962	1042
78"	242	283	328	371	417	458	503	546	593	682	776	863	957	1047	1136
84"	254	298	345	391	440	487	535	580	627	724	820	918	1017	1109	1206
90"	263	313	363	414	466	513	565	617	667	768	869	973	1078	1180	1283
96"	275	326	381	432	489	539	592	647	700	808	920	1028	1136	1244	1351
108"	298	350	414	471	535	589	647	707	766	885	1004	1125	1244	1361	1484
120"	326	386	454	519	587	650	716	782	848	978	1110	1244	1380	1510	1643
132"	349	422	494	568	644	709	783	855	928	1073	1221	1369	1517	1658	1808
144"	370	449	526	606	683	760	836	917	996	1151	1306	1463	1623	1779	1934

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
– maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$20
 - **Top-Down & Top-Down/Bottom-Up**add \$80
 - **Continuous Cord Loop***add \$50
– **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$80
– **Two-On-One Headrail*** price as 2 separate shades and add \$160
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Three-On-One Headrail*** price as 3 separate shades and add \$240
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
– **Top-Down/Bottom-Up***add \$160
 - **Cordless Lift & Lock**add \$40
– **Cordless Lift & Lock Two-On-One Headrail**add \$80
– **Cordless Lift & Lock Three-On-One Headrail**add \$120
– **Top-Down/Bottom-Up***add \$120
– **Premium Headrail Upgrade***add \$13
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
 - **5' to 10' Cordless Extension Pole #400036-81511**\$34
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 9 (Standard Rectangular)

• 3/4" MARCELLA BLACKOUT (H46)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$162	181	205	227	252	274	297	320	344	391	445	494	545	594	643	770
42"	174	196	223	249	275	304	327	354	382	439	494	549	609	665	722	862
48"	189	215	246	276	305	336	364	396	427	491	556	621	691	751	816	979
54"	201	228	263	298	332	363	395	431	465	537	607	679	751	821	892	1070
60"	220	243	282	320	354	390	424	465	504	579	657	734	813	892	967	1164
66"	228	259	300	339	381	418	457	499	540	621	706	792	878	958	1044	1254
72"	243	277	322	366	411	452	494	542	583	675	770	860	954	1046	1136	1371
78"	256	292	339	386	433	480	525	575	621	721	818	917	1017	1113	1213	1462
84"	266	306	357	411	458	506	552	609	657	763	865	971	1078	1184	1289	1556
90"	282	326	382	432	487	541	592	649	704	816	927	1042	1156	1267	1382	1667
96"	292	339	396	453	511	568	621	682	738	856	978	1097	1219	1341	1458	1761
108"	315	369	433	497	564	624	683	751	814	944	1077	1210	1346	1479	1612	1944
120"	339	400	470	540	626	678	748	820	889	1032	1175	1323	1471	1619	1784	2159
132"	366	433	512	589	683	739	817	895	973	1130	1291	1452	1614	1776	1964	
144"	388	465	546	629	739	800	882	965	1048	1218	1389	1565	1728	1905	2099	
156"	420	502	592	683	803	864										
168"	448	537	631	733	859											
174"	472	567	670	775	909											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 10 (Standard Rectangular)

• 3/8" OPULENCE BLACKOUT (H41)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"									
HEIGHT TO:																								
36"	\$182	204	229	256	283	309	334	362	387	442	503	558	618	672	726									
42"	196	220	251	282	312	342	369	399	431	493	558	622	685	751	814									
48"	213	243	279	313	344	379	411	448	484	555	629	703	779	849	922									
54"	226	258	296	336	373	410	447	488	524	604	684	768	849	929	1008									
60"	248	275	318	362	400	441	480	525	569	655	743	830	918	1008	1092									
66"	258	291	337	382	430	472	516	563	609	703	800	895	992	1084	1180									
72"	275	314	364	412	462	512	558	612	659	764	870	972	1080	1182	1286									
78"	289	329	382	436	490	543	593	649	703	812	926	1036	1151	1259	1371									
84"	301	346	404	462	517	571	625	685	743	862	979	1097	1219	1336	1457									
90"	318	368	431	489	550	610	670	734	795	922	1048	1177	1306	1433	1563									
96"	329	382	448	513	578	641	703	772	836	968	1104	1240	1377	1514	1649									
108"	356	415	490	562	634	705	774	849	920	1066	1218	1368	1519	1670	1822									
120"	381	452	530	609	707	766	844	928	1005	1166	1329	1496	1665	1829	2018									
132"	412	490	579	667	774	838	925	1012	1100	1277	1459	1639	1826	2008	2218									
144"	439	524	619	711	838	903	997	1089	1185	1376	1572	1769	1955	2156	2374									
156"	474	566	670	773	905	977																		
168"	505	604	713	829	970																			
174"	534	640	756	875	1028																			

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$20
 - **Top-Down & Top-Down/Bottom-Up**add \$80
 - **Continuous Cord Loop***add \$50
 - Top-Down/Bottom-Up*add \$130
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 35-40
 - **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 11

- 3/8" TRICELLA (H58)
- 3/4" TIFFANY (H25)
- 3/4" TRANQUILITY (H24)
- 3/4" OPULENCE BLACKOUT (H29)
- 3/4" SERENE FR BLACKOUT (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$189	212	238	266	294	321	347	376	402	460	523	580	643	699	755	905
42"	204	229	261	293	324	356	384	415	448	513	580	647	712	781	847	1013
48"	222	253	290	326	358	394	427	466	503	577	654	731	810	883	959	1151
54"	235	268	308	349	388	426	465	508	545	628	711	799	883	966	1048	1258
60"	258	286	331	376	416	459	499	546	592	681	773	863	955	1048	1136	1370
66"	268	303	350	397	447	491	537	586	633	731	832	931	1032	1127	1227	1476
72"	286	327	379	428	480	532	580	636	685	795	905	1011	1123	1229	1337	1611
78"	301	342	397	453	510	565	617	675	731	844	963	1077	1197	1309	1426	1720
84"	313	360	420	480	538	594	650	712	773	896	1018	1141	1268	1389	1515	1827
90"	331	383	448	509	572	634	697	763	827	959	1090	1224	1358	1490	1626	1964
96"	342	397	466	534	601	667	731	803	869	1007	1148	1290	1432	1575	1715	2072
108"	370	432	510	584	659	733	805	883	957	1109	1267	1423	1580	1737	1895	2287
120"	396	470	551	633	735	797	878	965	1045	1213	1382	1556	1732	1902	2099	2538
132"	428	510	602	694	805	872	962	1052	1144	1328	1517	1705	1899	2088	2307	
144"	457	545	644	739	872	939	1037	1133	1232	1431	1635	1840	2033	2242	2469	
156"	493	589	697	804	941	1016										
168"	525	628	742	862	1009											
174"	555	666	786	910	1069											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, SEMI-SHEER AND TRIPLE CELL FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 12 (Standard Rectangular)

• 3/4" PEACEFUL (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$226	254	285	318	352	384	415	450	482	549	625	695	769	836	903	1083
42"	243	274	313	350	388	425	459	496	537	614	695	774	853	935	1012	1212
48"	265	302	347	389	428	471	512	557	602	691	782	874	969	1056	1146	1377
54"	281	321	368	417	464	511	556	606	652	752	851	955	1056	1155	1253	1506
60"	308	342	396	450	497	548	597	653	707	814	924	1033	1142	1253	1358	1639
66"	321	362	420	475	536	588	642	700	757	874	995	1113	1234	1349	1467	1765
72"	342	390	453	513	574	638	695	761	820	951	1083	1210	1344	1470	1600	1926
78"	359	409	475	542	610	675	737	807	874	1010	1152	1289	1432	1566	1706	2057
84"	374	431	503	574	644	710	778	853	924	1072	1218	1364	1516	1661	1813	2186
90"	396	458	537	607	684	759	834	913	989	1146	1303	1464	1624	1783	1944	2348
96"	409	475	557	639	720	797	874	961	1039	1204	1374	1542	1713	1883	2051	2478
108"	442	516	610	699	788	877	963	1056	1144	1326	1515	1701	1890	2078	2266	2735
120"	474	563	659	757	880	953	1050	1154	1250	1451	1653	1861	2072	2274	2511	3035
132"	513	610	721	830	963	1043	1151	1259	1369	1589	1815	2038	2271	2497	2759	
144"	546	652	770	885	1043	1123	1241	1354	1475	1711	1955	2200	2432	2681	2953	
156"	590	704	834	962	1126	1216										
168"	628	752	887	1031	1207											
174"	665	796	940	1088	1278											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 30 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Top-Down & Top-Down/Bottom-Up**add \$80
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **TriLight Shades** – see pages 35-40
- **Angle Cut**add \$112

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

GROUP 13 – 2" HYBRID (Standard Rectangular)

NOTE: A control option must be selected.

• 2" Hybrid Pleat – Semi-Opaque (HPF)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$157	163	179	187	194	217	230	247	260	313	330	350	367	381	399	476	557
36"	163	166	186	194	205	227	244	262	279	333	352	373	390	408	427	509	594
42"	166	181	193	201	214	237	255	276	293	353	373	396	413	434	454	543	633
48"	172	187	199	211	224	249	284	292	310	371	395	419	439	460	480	578	670
54"	175	194	206	218	231	259	292	302	324	392	414	442	463	488	509	606	706
61"	179	200	216	230	243	272	310	321	338	413	437	470	494	520	542	642	747
66"	194	214	232	247	259	283	312	331	355	434	456	489	512	542	566	674	783
73"	195	222	239	254	266	295	318	349	373	454	480	516	544	575	596	709	
78"	227	257	276	296	317	345	374	409	439	470	499	532	562	595	622	741	
84"	232	263	284	303	324	356	390	427	456	489	522	557	586	620	652		
90"	239	272	293	317	335	370	402	441	475	508	543	581	613	648	678		
96"	244	280	301	324	348	381	417	457	492	528	563	602	636	672			
108"	265	307	334	361	390	431	475	522	563	604	649	694					
120"	285	334	369	400	432	480	530	584	634	683	732						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$20
- Continuous Cord Loop*add \$50
 - Top-Down/Bottom-Up*add \$130
- Cordless Lift System*add \$80
 - Two-On-One Headrail* price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$160
- Cordless Lift & Lockadd \$40
 - Cordless Lift & Lock Two-On-One Headrailadd \$80
 - Cordless Lift & Lock Three-On-One Headrailadd \$120
 - Top-Down/Bottom-Up*add \$120
 - Premium Headrail Upgrade*add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$20
- 5' to 10' Cordless Extension Pole #400036-81511\$34
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

GROUP 14 – 2" HYBRID (Standard Rectangular)
 NOTE: A control option
 must be selected.

• 2" Hybrid Pleat – Blackout (HPR)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$198	212	225	233	245	272	287	313	329	392	414	439	461	481	499	598	699
36"	204	220	232	244	258	285	304	330	349	419	441	467	490	513	535	641	749
42"	209	228	241	257	268	299	319	348	370	443	466	498	520	547	570	685	795
48"	213	233	253	264	279	313	335	367	388	466	494	526	551	581	605	725	843
54"	220	243	262	275	294	325	352	381	408	492	520	557	583	614	641	765	888
61"	225	254	270	287	302	341	370	402	423	520	550	590	620	653	678	810	938
66"	243	268	295	311	324	354	381	418	446	542	578	614	647	679	712	849	985
73"	249	276	300	319	334	370	399	437	466	570	603	650	683	722	750	894	
78"	285	322	348	372	399	434	471	516	551	590	626	672	709	746	784	931	
84"	304	349	377	408	436	481	524	578	620	664	709	759	800	846	890		
90"	335	383	416	447	481	527	580	633	681	728	782	831	882	931	979		
96"	358	420	462	502	542	604	667	737	795	860	922	989	1050	1113			
108"	416	500	551	605	663	742	826	915	994	1075	1162	1247					
120"	458	560	623	691	760	860	960	1067	1165	1261	1367						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$20
- **Continuous Cord Loop***add \$50
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$80
 - **Two-On-One Headrail*** price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$160
- **Cordless Lift & Lock**add \$40
 - **Cordless Lift & Lock Two-On-One Headrail**add \$80
 - **Cordless Lift & Lock Three-On-One Headrail**add \$120
 - **Top-Down/Bottom-Up***add \$120
 - **Premium Headrail Upgrade***add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$20
- **5' to 10' Cordless Extension Pole #400036-81511**\$34
- **TriLight Shades** – see pages 35-40

 *NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND
 MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

LINEN ALLURE – DIMENSIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$182	204	229	256	283	309	334	362	387	442	503	558	618
42"	196	220	251	282	312	342	369	399	431	493	558	622	685
48"	213	243	279	313	344	379	411	448	484	555	629	703	779
54"	226	258	296	336	373	410	447	488	524	604	684	768	849
60"	248	275	318	362	400	441	480	525	569	655	743	830	918
66"	258	291	337	382	430	472	516	563	609	703	800	895	992
72"	275	314	364	412	462	512	558	612	659	764	870	972	1080
78"	289	329	382	436	490	543	593	649	703	812	926	1036	
84"	301	346	404	462	517	571	625	685	743	862	979		
90"	318	368	431	489	550	610	670	734	795	922	1048		
96"	329	382	448	513	578	641	703	772	836	968			
108"	356	415	490	562	634	705	774	849	920				
120"	381	452	530	609	707	766	844	928	1005				

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$20
- Continuous Cord Loop*add \$50
 - Top-Down/Bottom-Up*add \$130
- Cordless Lift System*add \$80
 - Two-On-One Headrail* price as 2 separate shades and add \$160 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$240 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$160
- Cordless Lift & Lockadd \$40
 - Cordless Lift & Lock Two-On-One Headrailadd \$80
 - Cordless Lift & Lock Three-On-One Headrailadd \$120
 - Top-Down/Bottom-Up*add \$120
 - Premium Headrail Upgrade*add \$13 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$20
- 5' to 10' Cordless Extension Pole #400036-81511\$34
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$230	239	261	272	284	317	337	361	379	457	481	511	535	557	583	696	813
36"	239	243	271	284	299	332	356	383	407	487	514	546	570	597	624	744	867
42"	243	265	283	294	314	347	373	403	427	516	546	580	604	634	664	794	925
48"	251	272	290	308	326	365	416	425	452	543	579	613	642	672	702	845	979
54"	257	284	301	319	338	378	425	442	475	573	606	646	677	713	744	887	1031
61"	261	293	316	337	355	398	452	470	495	604	639	687	723	761	792	940	1093
66"	284	314	340	361	378	414	455	483	519	634	667	714	749	792	828	986	1145
73"	286	323	349	371	389	430	465	510	546	664	702	754	795	840	871	1037	
78"	332	374	403	432	463	505	547	598	642	687	729	779	822	869	911	1082	
84"	340	385	416	444	475	520	570	624	667	714	762	813	858	907	953		
90"	349	398	427	463	490	541	588	644	695	743	794	849	896	947	992		
96"	356	409	440	475	508	557	610	669	720	773	824	881	930	983			
108"	388	451	488	529	570	631	695	762	824	884	948	1015					
120"	418	488	538	585	633	702	776	854	926	999	1072						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 27-34 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks
– maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$20
- Continuous Cord Loop*add \$50
 - Top-Down/Bottom-Up*add \$130
- Cordless Lift System*add \$80
 - Two-On-One Headrail* price as 2 separate shades and add \$160
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$240
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$160
- Cordless Lift & Lockadd \$40
 - Cordless Lift & Lock Two-On-One Headrailadd \$80
 - Cordless Lift & Lock Three-On-One Headrailadd \$120
 - Top-Down/Bottom-Up*add \$120
 - Premium Headrail Upgrade*add \$13
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$20
- 5' to 10' Cordless Extension Pole #400036-81511\$34
- TriLight Shades – see pages 35-40

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 26 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

SIMPLICITY SURCHARGE AND OPTIONS
EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE HONEYCOMB SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$241 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$60 each
 - 48" Extension Wire (Part #CS5133Z)add \$7 each
 - DC Power Supply (Part #CS5151)add \$33 each
- **Simplicity Rechargeable Motorization**add \$241 per shade
 - 2-on-1 Headrailprice as 2 separate shades
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$60 each
 - 48" Extension Wire (Part #CS5133Z)add \$7 each
 - Solar Panel (Part #CS52096)add \$146 each
 - Plug-In Charger (Part #CH-8.4V-1AN)add \$30 each
- **Simplicity Rechargeable Top-Down/Bottom-Up**add \$241 per shade + TD/BU Surcharge \$70 per shade
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$60 each
 - 48" Extension Wire (Part #CS5133Z)add \$7 each
 - Solar Panel (Part #CS52096)add \$146 each
 - Plug-In Charger (Part #CH-8.4V-1AN)add \$30 each
- **PowerWand™**add \$110 per shade
 - PowerWand™ Options (must be specified): **No Charge**
 - 1) Control Side (Left or Right)
 - 2) Wand Color (Black or White)
 - 3) Wand Length:
 - 1 foot (12")
 - 2 feet (24")
 - 3 feet (36")
 - 4 feet (48")
 - 5 feet (60")
 - Plug-In Charger (Part #CH-8.4V-1AN)add \$30 each

Note: 2" Hybrid Pleat is Not Available with PowerWand™ Motorization
REMOTELIFT 2.0 SURCHARGE AND OPTIONS


- **RemoteLift 2.0**add \$278
- **Remote Control #2984495100**add \$52
- **Wireless Wall Switch #2986350100**add \$72
- **RemoteLift Top-Down***add \$43
- **Satellite Battery Pack #KIT2791** – select with wire length below:
 - Satellite Battery Pack (15" Wire) #2989899000add \$61
 - Satellite Battery Pack (4' Wire) #2989900000add \$66
 - Satellite Battery Pack (10' Wire) #2989901000add \$77
 - Satellite Battery Pack (20' Wire) #2989902000add \$85
- **18V DC Power Supply #7806000000** – select with wire length below:
 - DC Power Supply (15" Wire) #2989899000add \$89
 - DC Power Supply (4' Wire) #2989900000add \$91
 - DC Power Supply (10' Wire) #2989901000add \$95
 - DC Power Supply (20' Wire) #2989902000add \$98
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$44
 - (with 4' cable) #2989900000add \$50
 - (with 10' cable) #2989901000add \$54
 - (with 20' cable) #2989902000add \$59
- **Momenta** (must be submitted as part order)
 - **Momenta App Bridge Kit #2920072100**add \$128 NET Cost
 - **Momenta Extender Kit #2920075100**add \$47 NET Cost

 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE
 VERIFY SIZE RESTRICTIONS ON PAGE 43 PRIOR TO ORDERING.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



- Features snap-in bracket
- Headrail Color – color coordinated with fabric
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	8"	8"	8"	8"	8"	8"	8"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	40

* For shades under 12" widths, the maximum height is 80"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single Cell
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single Cell
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – 2-ON-1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

NOTE: Measurements may vary $\pm 1/8$ "

STANDARD TWO-ON-ONE – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (per panel)	8"	8"	8"	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"	16"	16"	16"
Max. Width (per panel)	60"	60"	60"	60"	60"	60"	60"
Max. Width (overall)	120"	120"	120"	120"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60


Controls must be on opposite ends of the headrail. Standard cord length is 40% of the height of the shade unless otherwise specified.

RECTANGULAR CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TOP-DOWN OR TOP-DOWN/BOTTOM-UP

(2-cell fabric insert)



(2-cell fabric insert)



Conveniently open shades from the top down or from both top and bottom.

Top-Down/Bottom-Up features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$

NOTES:

- The standard control positions for TD/BU are:
RIGHT operates the center moving rail and LEFT operates the bottomrail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

TOP-DOWN – SIZE STANDARDS

	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60

* For shades under 12" widths, the maximum height is 80"

TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb						
	All 3/4" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	108"	108"	108"	108"	108"	108"	108"
Max. Area (sq. ft.)	48	40	48	48	40	40	48


* For shades under 12" widths, the maximum height is 80"

Cut-outs are not available on Top-Down or Top-Down/Bottom-Up shades.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TWO-FABRIC COMBINATION (PRICE AS 2 SEPARATE SHADES)



Headrail, Middle Rail, and Bottomrail will coordinate with the bottom fabric unless otherwise specified.

Combines two fabrics in the same shade for function, beauty and total versatility. Consider a sheer shade to filter light, combined with a blackout shade for maximum darkness. Easily adjust shade to cover the window with one fabric or with some of each fabric. Standard cord length is 40% of the height of the shade unless otherwise specified.

Shade features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$


TWO-FABRIC COMBO – SIZE STANDARDS

	Honeycomb					
	All 3/4" Semi-Opaque Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height*	96"	96"	96"	96"	90"	90"
Max. Area (sq. ft.)	48	48	48	40	40	40

* For shades under 12" widths, the maximum height is 80"

Not available with 3/8" single cell fabrics, SoftStyle or 2" Hybrid Pleat fabrics.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles. Single handle available*, must be selected during order entry.
*Single handle option over 42" in width is not available with 3/8" fabric
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift Top-Down/Bottom-Up is not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS	
	All Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 3/8" blackout, 1/2" double cell, triple cell, or 2" Hybrid Pleat fabrics

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS TWO-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	32"	32"
Max Width (per panel)	120"	100"
Max Width (overall)	174"	120"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.


	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	9-1/2"	9-1/2"	9-1/2"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS

	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	2" Hybrid Pleat
Two-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

* Cordless Lift & Lock not available with any 3/8" or triple cell fabrics.

Note: End mount not available with 2-on-1 or 3-on-1

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Standard Headrail		
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
with Premium Rail option		
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

Note: End mount not available.

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	8"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

Right control operates the center moving rail; left control operates the bottomrail.
Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat*

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/
Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade. Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer or triple cell fabrics.
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 10-25 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 37 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
 - TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$48	53	58	67	74	80	86	92	99	113	127
42"	51	57	63	74	80	86	94	103	109	125	141
48"	54	60	70	78	86	94	103	111	119	138	154
54"	57	63	75	84	92	102	111	119	130	148	168
60"	59	69	80	88	98	109	118	128	140	161	181
66"	62	74	85	94	107	115	126	139	149	171	196
72"	67	77	88	102	113	124	135	147	159	182	207
78"	70	81	94	106	119	131	144	155	170	196	220
84"	73	85	97	111	125	138	150	164	177	203	232
90"	76	88	103	115	131	145	159	173	188	217	245
96"	78	92	108	122	138	150	166	181	197	226	257

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$56	62	73	80	88	96	105	111	121	136	154
42"	59	68	78	88	96	105	114	124	132	151	171
48"	63	74	84	94	105	114	124	134	145	166	188
54"	68	78	89	102	111	123	134	146	155	180	204
60"	73	83	96	108	118	132	144	155	168	194	219
66"	77	88	103	114	128	141	153	167	180	207	236
72"	80	93	108	122	136	150	164	179	193	223	253
78"	84	97	112	127	145	159	174	189	205	236	268
84"	87	103	118	134	150	166	182	199	214	246	281
90"	92	108	124	141	159	176	191	209	227	262	296
96"	94	111	130	148	166	182	201	219	237	275	312

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color-Coordinated Rails


CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$40
- Cordless Lift System.....add \$80
- Continuous Cord Loopadd \$50
- Fabric-Wrapped Rail optionadd \$20

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, or Triple Cell fabrics

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64	50	50	60

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.



CORDLESS LIFT SIZE STANDARDS

	Honeycomb	2" Hybrid Pleat
	All Fabrics*	All Fabrics
Min. Width (net)	16"	16"
Max. Width**	83" - 96"	83" - 96"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* 3/8" single, sheer/semi-sheer and triple cell fabrics are not available with TriLight.

**The bottom panel max. width can be reduced by the ordered sheer fabric (top panel), if the sheer max. width is less than the bottom panel max. width. Willa Sheer maximum width is 83".

See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"


Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"
Max. Width	84"	84"	84"	84"
Max. Width - End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49

* 3/8" single, 3/4" sheer/semi-sheer and triple cell fabrics are not available with TriLight.

** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

**Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"**

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION





- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and Simplicity. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

REMOTELIFT 2.0 – SIZE STANDARDS

	All Honeycomb Fabrics *	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 43	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 43	

* RemoteLift not available with 3/8" triple cell fabrics

** Max square footage for 2" Hybrid Pleat is 60 sq. feet





FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$



MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Inside mount with Hold-Down Bracket deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length - 15", 4', 10' or 20'.
- If ordering the DC power supply, specify wire length - 15", 4', 10' or 20'.
- Daisy-Chain requires the DC power supply and you must specify which wire length (15", 4', 10' or 20') at the time the order is placed. You can Daisy-Chain up to 3 blinds per DC power supply.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.



18V Battery Wand
(Part #7520066000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part #KIT2791)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																				
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"		
Max Square Footage:		90 Square Feet															70 Square Feet			
H44	3/8" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"		
Max Square Footage:		80 Square Feet															70 Square Feet		50 Square Feet	
H40	3/8" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	92"	84"	54"	50"		
Max Square Footage:		50 Square Feet															30 Square Feet			
H41	3/8" OPULENCE BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		50 Square Feet															30 Square Feet			
H91	3/4" CARDIFF SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		80 Square Feet															65 Square Feet		40 Square Feet	
HS3	3/4" GLIMMER SEMI OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	86"	78"	42"	40"		
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H27	3/4" LINEN	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"		
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H45	3/4" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"		
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
HX6	3/4" Melodic Semi-Opaque	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"		
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H92	3/4" Mirada Semi-Opaque	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"		
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H28	3/4" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"		
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H96	3/4" PEACEFUL SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"		
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
HF6	3/4" RADIANCE SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"		
Max Square Footage:		30 Square Feet																		
H62	3/4" SERENE FR	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		35 Square Feet																		
H46	3/4" MARCELLA BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
H29	3/4" OPULENCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
HF7	3/4" RADIANCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
H60	3/4" SERENE FR BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		90 Square Feet															55 Square Feet			
H25	3/4" TIFFANY SHEER	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	60"	54"		
Max Square Footage:		50 Square Feet															35 Square Feet			
H24	3/4" TRANQUILITY SEMI-SHEER	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	46"	42"	n/a			
Max Square Footage:		45 Square Feet															30 Square Feet			
H47	1/2" MARCELLA DOUBLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	40"	36"	n/a			
Max Square Footage:		40 Square Feet															25 Square Feet			
H39	1/2" OPULENCE DOUBLE CELL	108"	108"	108"	108"	108"	106"	96"	86"	80"	72"	68"	64"	60"	32"	30"	n/a			
Max Square Footage:		35 Square Feet																		
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					

NOTE: TRIPLE CELL FABRICS NOT AVAILABLE WITH REMOTELIFT 2.0.

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.


Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.

Operational Distance of Infrared Signals


The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.

Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY MOTORIZATION SPECIFICATIONS

POWERWAND™ MOTORIZATION SPECIFICATIONS

SIMPLICITY AND POWERWAND MOTORIZATION

- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



SIMPLICITY & POWERWAND - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width - Bottom-Up	18"	18"
Minimum NET Width - Top-Down/Bottom-Up	24"	24"
Maximum Width	96"	96"
Maximum Width, End Mount ***	36"	36"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

** PowerWand **not available** with 3/8" triple cell or 2" Hybrid Pleat fabrics

*** Rechargeable Simplicity Top-Down/Bottom-Up **not available** as End Mount

NOTE: Size Standards are the same for standard Simplicity, Rechargeable Simplicity **Bottom-Up**, and PowerWand

NOTE: Min Width for **Rechargeable Simplicity Top-Down/Bottom-Up** is 24"

NOTE: Max height varies by width and fabric type. Refer to chart on page 51

SIMPLICITY 2-on-1 HEADRAIL - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	96"	96"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

NOTE: Simplicity 2-on-1 **ONLY** available with **Rechargeable** battery.

Not available with standard Simplicity, PowerWand or Top-Down/Bottom-Up.

FINISHED DIMENSIONS

Standard, Rechargeable Bottom-Up and Top-Down/Bottom-Up, and PowerWand

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
End (EB) Mount*		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1/8"

* End Mount is **not available** with Top-Down/Bottom-Up

Simplicity Rechargeable ONLY

2-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: 2-on-1 Headrail is **not available** with Top-Down/Bottom-Up

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat fabrics

MOUNTING REQUIREMENTS

Standard, Rechargeable Bottom-Up, and PowerWand

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Rechargeable Top-Down/Bottom-Up

Mounting Requirements

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount	
Over 36" wide	2-1/4"
Under 36" wide (spacer blocks required)	3"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

STANDARD SIMPLICITY MOTORIZATION: OVERVIEW

Standard Simplicity Motorization


- Standard Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or 12 Volt DC power supply/transformer is available. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long. The DC power supply is white and comes with a 80" wire, must be plugged into a standard outlet to power the motor and can power a single shade.
- A 48" extension wire is available (Part #CS5133Z).



SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Charging Port

Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



(Part #CH-8.4V-1AN)

Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand™). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

SIMPLICITY RECHARGEABLE TOP-DOWN/BOTTOM-UP: OVERVIEW

Rechargeable Simplicity Motors

- The Simplicity TDBU Motor program features a battery powered motor utilizing a rechargeable battery hidden inside the shade head rail. If shades are less than 36" in width, an external snap-on battery pack is necessary.

Top-Down/Bottom-Up Simplicity 14 Channel Remote


- The TDBU remote has 14-channels and an ALL option. Each channel has a setting able to operate the middle rail and a setting able to operate the bottom rail. The TDBU remote is required for TDBU motors, but can be used with other motors as well. The 14 Channel TDBU remote can operate up to fourteen shades individually or 14 groups (not recommended). Simplicity Rechargeable Motorized Cellular Shades are programmed at the factory with the "up and down" limits. Please ensure each shade is linked to the remote prior to installation.
- Simplicity TDBU remotes and holders are white in color. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet. The 14 Channel remote can be utilized on all Simplicity motorized shades.



(Part #CS52136)

Simplicity Rechargeable Battery for Top-Down/Bottom-Up

- For shades 36" and wider the rechargeable battery is fully concealed in the head rail and is recharged via a charging port on the back of the shade. Shades under 36" in width require an externally mounted battery pack. Both the internal and external rechargeable batteries come fully charged from the factory.



Internal Battery
charging port



External Battery Pack

Battery Charger

- Utilizes the same 8.4 Volt charger as Simplicity Rechargeable Bottom-Up and PowerWand



(Part #CH-8.4V-1AN)

Solar Panel Recharge Option

- Uses the same Solar Panel recharge option as Simplicity Rechargeable Bottom-up.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

POWERWAND™ MOTORIZATION: OVERVIEW

PowerWand™ Motorization


- Honeycomb Shades can be fabricated with the PowerWand™ Rechargeable Push Button Control option. The PowerWand™ Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand™ Rechargeable uses Simplicity motors and components.

PowerWand™ Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand™ as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.


PowerWand™ Appearance

- The PowerWand™ Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand™ Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with
Plug-In Charger

PowerWand™ Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand™ motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



(Part #CH-8.4V-1AN)

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION (Bottom-Up and Top-Down/Bottom-Up*) & POWERWAND - MAXIMUM HEIGHTS				
CODE	SHADE NET WIDTH TO:	18" – 72" **	84"	96"
H44	3/8" Marcella Semi-Opaque	96"	96"	96"
H40	3/8" Opulence Semi-Opaque	96"	96"	96"
H41	3/8" Opulence Blackout	96"	96"	96"
H91	3/4" Cardiff Semi-Opaque	96"	90"	72"
HS3	3/4" Glimmer Semi Opaque	96"	96"	96"
H27	3/4" Linen Semi-Opaque	96"	96"	96"
H45	3/4" Marcella Semi-Opaque	96"	96"	96"
HX6	3/4" Melodic Semi-Opaque	96"	90"	72"
H92	3/4" Mirada Semi-Opaque	96"	90"	72"
H28	3/4" Opulence Semi-Opaque	96"	90"	72"
H96	3/4" Peaceful Semi-Opaque	96"	90"	72"
HF6	3/4" Radiance Semi-Opaque	96"	90"	72"
H60	3/4" Serene FR Semi-Opaque	96"	90"	72"
H46	3/4" Marcella Blackout	96"	90"	72"
H29	3/4" Opulence Blackout	96"	90"	72"
HF7	3/4" Radiance Blackout	96"	90"	72"
H62	3/4" Serene FR Blackout	96"	90"	72"
H25	3/4" Tiffany Sheer	96"	96"	96"
H24	3/4" Tranquility Semi-Sheer	96"	90"	72"
H39	Opulence 1/2" Double Cell	96"	90"	72"
H47	1/2" Marcella Double Cell	96"	96"	96"
HPF	2" Hybrid Pleat Semi-Opaque***	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout***	96"	90"	72"

* 2-on-1 Minimum Panel Width 20" (available with Bottom-Up Simplicity Rechargeable ONLY)

* Top-Down/Bottom-Up Minimum Panel Width 24" (available with Simplicity Rechargeable ONLY)

*** 2" Hybrid Pleat is Not Available with PowerWand Motorization

NOTE: Triple Cell fabric is not Available with motorization

HONEYCOMB VERTICAL APPLICATION A

• 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$353	381	415	445	475	505	537	566	597	628	654	711	765	817	863	915	967	1023
42"	375	411	447	483	515	550	588	620	652	687	719	775	828	890	940	1003	1061	1132
48"	400	438	479	518	553	592	629	674	704	738	777	837	893	974	1019	1086	1137	1213
54"	420	468	511	555	593	628	669	707	745	779	817	881	951	1022	1088	1152	1225	1299
60"	445	494	543	591	628	669	710	751	791	832	868	945	1020	1097	1163	1241	1318	1403
66"	471	522	572	627	672	710	754	801	839	887	926	1010	1090	1172	1245	1333	1414	1517
72"	497	551	607	665	708	750	792	851	891	937	984	1075	1156	1247	1328	1423	1514	1620
78"	523	579	642	694	742	782	832	890	931	985	1030	1128	1215	1309	1398	1493	1594	1706
84"	550	609	673	728	781	828	880	938	983	1040	1088	1192	1290	1385	1476	1585	1686	1810
90"	571	640	702	760	816	868	922	986	1037	1094	1147	1258	1360	1464	1563	1671	1785	1908
96"	597	667	728	789	847	902	959	1028	1080	1142	1193	1312	1414	1530	1637	1743	1864	1986
102"	622	693	760	821	880	943	1009	1072	1135	1193	1248	1375	1489	1602	1713	1832	1961	2098
108"	647	721	790	856	919	981	1054	1126	1186	1252	1309	1440	1560	1681	1799	1922	2059	2203
114"	673	748	820	891	955	1021	1097	1171	1239	1305	1364	1510	1634	1759	1888	2007	2159	2297
120"	694	777	880	952	1019	1089	1169	1248	1317	1388	1442	1593	1723	1856	1985	2114	2265	2410

- 3/4" Cardiff (H91)
- 3/4" Glimmer (HS3)
- 3/4" Linen (H27)
- 3/4" Marcella Blackout (H46)
- 3/4" Melodic (HX6)
- 3/4" Mirada (H92)
- 3/4" Opulence (H28)
- 3/4" Radiance Blackout (HF7)
- 3/4" Serene (H62)

HONEYCOMB VERTICAL APPLICATION B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$413	447	489	524	557	593	630	667	703	738	770	836	901	959	1013	1074	1135	1205
42"	441	482	525	567	605	645	686	728	766	809	843	910	974	1045	1104	1179	1247	1330
48"	469	513	564	609	649	696	740	791	827	868	912	985	1049	1143	1197	1276	1336	1425
54"	494	549	598	651	698	738	784	832	874	915	959	1035	1118	1204	1278	1355	1439	1526
60"	523	579	640	694	738	784	836	882	930	978	1021	1109	1199	1290	1369	1458	1549	1649
66"	555	613	674	737	788	836	887	943	988	1042	1090	1188	1281	1378	1463	1567	1665	1784
72"	586	647	712	781	833	880	932	1000	1046	1101	1156	1265	1359	1464	1562	1671	1780	1907
78"	615	680	752	814	872	919	978	1045	1096	1159	1210	1325	1428	1540	1641	1757	1874	2005
84"	645	714	790	857	917	974	1033	1102	1155	1222	1278	1402	1516	1631	1736	1863	1984	2129
90"	673	750	824	893	958	1020	1086	1161	1219	1286	1348	1480	1600	1722	1837	1965	2099	2244
96"	702	782	856	927	994	1062	1129	1206	1270	1344	1404	1542	1666	1800	1922	2052	2191	2336
102"	730	814	893	964	1034	1107	1185	1260	1334	1405	1466	1616	1751	1883	2016	2155	2305	2465
108"	760	847	929	1006	1080	1153	1241	1323	1396	1472	1540	1694	1834	1976	2115	2262	2421	2590
114"	789	878	962	1046	1123	1201	1290	1377	1456	1536	1604	1772	1920	2068	2221	2363	2539	2701
120"	814	912	1033	1118	1197	1280	1374	1465	1548	1634	1696	1873	2027	2182	2335	2486	2661	2835

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

OPTIONS: NO EXTRA CHARGE

- **Vertical Application** – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- **Center Opening** – Price as two separate shades.
- **Center Stacking**add \$52 each

HONEYCOMB VERTICAL APPLICATION C

- 3/4" Opulence Blackout (H29)
- 3/4" Serene Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$480	530	588	638	678	709	753	796	837	880	918	996	1098	1184	1268	1359	1446	1507
42"	522	579	642	686	733	775	821	868	917	959	1007	1090	1201	1296	1396	1497	1594	1666
48"	565	620	680	733	782	827	878	932	984	1032	1084	1179	1298	1405	1514	1622	1731	1811
54"	602	667	730	790	841	898	954	1013	1069	1127	1181	1285	1418	1536	1655	1780	1896	1990
60"	644	704	778	841	900	957	1018	1086	1147	1210	1270	1379	1524	1654	1784	1919	2046	2153
66"	679	743	826	899	957	1020	1081	1158	1221	1292	1356	1478	1634	1772	1913	2058	2196	2310
72"	719	783	869	952	1015	1081	1152	1229	1296	1375	1444	1577	1745	1895	2044	2203	2354	2478
78"	754	822	919	1004	1072	1145	1222	1303	1377	1461	1537	1672	1849	2013	2178	2343	2504	2641
84"	788	862	962	1051	1123	1200	1286	1372	1452	1540	1619	1768	1956	2131	2302	2480	2653	2801
90"	824	902	1010	1103	1178	1264	1356	1442	1530	1624	1707	1866	2064	2248	2432	2624	2806	2964
96"	860	943	1052	1158	1232	1326	1424	1519	1608	1708	1797	1965	2179	2371	2567	2765	2959	3128
102"	895	984	1100	1204	1282	1389	1490	1591	1682	1790	1878	2052	2270	2475	2679	2888	3095	3275
108"	931	1023	1144	1253	1330	1454	1556	1664	1753	1865	1958	2144	2375	2591	2807	3027	3242	3432
114"	963	1070	1189	1305	1383	1515	1622	1734	1832	1944	2039	2240	2484	2707	2938	3166	3397	3594
120"	1034	1151	1274	1400	1478	1612	1725	1843	1944	2061	2159	2372	2624	2862	3099	3338	3578	3790

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION D

- 3/4" Peaceful (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$543	599	665	721	766	802	850	900	946	994	1037	1126	1241	1336	1432	1536	1634	1702
42"	591	655	725	777	829	875	928	981	1036	1084	1138	1232	1357	1464	1577	1692	1802	1882
48"	639	700	769	829	884	934	993	1054	1112	1166	1224	1332	1466	1588	1711	1834	1955	2047
54"	680	753	826	893	951	1015	1078	1145	1207	1273	1334	1452	1602	1736	1870	2011	2142	2247
60"	727	796	878	951	1017	1082	1150	1227	1297	1367	1435	1559	1722	1869	2016	2168	2311	2433
66"	768	839	932	1016	1082	1153	1221	1307	1380	1459	1533	1670	1846	2002	2161	2325	2482	2611
72"	811	885	983	1075	1146	1221	1301	1389	1464	1553	1632	1783	1972	2141	2309	2490	2659	2801
78"	853	929	1039	1135	1212	1295	1381	1473	1556	1652	1737	1890	2089	2276	2461	2648	2830	2983
84"	891	974	1087	1188	1269	1356	1454	1550	1640	1740	1830	1999	2211	2408	2601	2803	2998	3165
90"	931	1019	1141	1247	1331	1428	1533	1630	1728	1836	1928	2108	2333	2541	2748	2965	3170	3349
96"	971	1065	1189	1307	1392	1498	1608	1718	1817	1929	2031	2219	2462	2679	2900	3125	3345	3535
102"	1012	1112	1243	1360	1450	1570	1684	1797	1900	2023	2124	2319	2566	2796	3027	3264	3498	3701
108"	1052	1156	1294	1416	1504	1643	1758	1880	1981	2107	2213	2424	2683	2927	3171	3422	3663	3877
114"	1088	1210	1344	1476	1563	1712	1834	1958	2071	2196	2305	2531	2806	3059	3320	3578	3838	4061
120"	1168	1300	1439	1581	1670	1821	1949	2083	2196	2330	2439	2680	2965	3234	3501	3773	4044	4283

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$52 each

2" HYBRID PLEAT VERTICAL APPLICATION G

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$365	436	437	462	478	511	529	619	643	687	721	840	947	1042	1136	1238	1329
42"	412	443	453	475	498	524	548	640	665	716	748	861	974	1071	1169	1273	1370
48"	433	458	465	502	548	554	573	682	699	753	792	908	1042	1146	1250	1362	1464
54"	448	485	489	524	569	572	594	704	728	778	815	942	1065	1172	1278	1393	1496
60"	451	499	500	548	591	593	615	725	750	810	853	985	1113	1224	1334	1454	1563
66"	485	529	531	562	591	605	627	750	770	827	881	1014	1146	1262	1375	1499	1611
72"	496	552	552	586	602	635	658	790	806	881	933	1065	1206	1326	1446	1577	1694
78"	573	627	638	665	690	722	750	787	809	877	937	1076	1214	1336	1456	1586	1707
84"	590	644	656	685	716	750	777	815	843	912	979	1123	1262	1386	1512	1649	1771
90"	610	668	670	700	729	771	805	843	874	942	1015	1164	1308	1438	1568	1710	1838
96"	623	685	690	719	748	795	826	864	900	972	1043	1196	1351	1486	1618	1766	1897
108"	690	769	771	808	848	896	951	994	1037	1127	1219	1394	1566	1723	1878	2046	2201
120"	739	832	863	908	954	1012	1067	1126	1177	1276	1383	1579	1767	1944	2118	2310	2482

2" HYBRID PLEAT VERTICAL APPLICATION H

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$415	442	446	472	489	521	540	632	655	703	734	858	966	1062	1158	1262	1356
42"	423	454	461	485	508	536	556	657	679	729	761	880	996	1096	1195	1302	1400
48"	440	469	475	510	570	575	583	696	713	769	808	925	1063	1170	1273	1389	1492
54"	456	497	496	537	587	583	603	719	742	795	833	965	1088	1197	1305	1422	1528
60"	461	508	510	556	622	608	626	740	766	827	866	1003	1132	1245	1356	1480	1590
66"	492	541	541	571	625	621	642	769	785	847	896	1034	1168	1284	1400	1525	1639
72"	508	564	565	594	635	646	669	806	822	898	948	1086	1228	1351	1472	1605	1725
78"	587	640	648	677	703	738	765	803	827	894	955	1097	1234	1358	1481	1614	1735
84"	636	698	712	746	780	822	856	898	931	1012	1086	1244	1396	1536	1672	1824	1960
90"	699	770	776	812	848	895	934	981	1016	1101	1186	1360	1529	1683	1834	1999	2149
96"	768	861	877	924	970	1034	1084	1143	1193	1301	1404	1605	1806	1987	2167	2362	2539
108"	835	955	974	1037	1097	1170	1250	1316	1380	1514	1650	1878	2105	2316	2523	2751	2957
120"	886	1030	1090	1166	1236	1325	1409	1493	1574	1719	1881	2139	2384	2622	2859	3116	3349

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$52 each

VERTICAL APPLICATION – LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$534	636	639	675	700	747	774	905	940	1006	1055	1228	1384
42"	603	648	662	695	729	765	801	935	972	1046	1093	1259	1425
48"	632	669	680	735	801	811	838	997	1022	1101	1159	1328	1524
54"	656	709	714	765	832	836	868	1030	1064	1138	1193	1378	1557
60"	659	730	732	801	864	867	900	1061	1096	1185	1248	1439	1627
66"	709	774	777	821	864	885	917	1096	1125	1210	1288	1483	1676
72"	726	808	808	856	880	929	962	1155	1178	1288	1363	1557	1764
78"	838	917	932	972	1008	1056	1096	1151	1184	1281	1371	1574	1775
84"	862	941	959	1003	1046	1096	1137	1193	1233	1333	1431	1642	1844
90"	893	977	980	1023	1066	1126	1177	1233	1277	1378	1485	1702	1914
96"	911	1003	1008	1051	1093	1163	1207	1264	1316	1422	1525	1749	1975
108"	1008	1123	1126	1181	1240	1310	1389	1454	1517	1649	1783	2037	2291
120"	1082	1217	1263	1328	1395	1480	1560	1647	1721	1867	2023	2309	2584

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$52 each

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

VERTICAL APPLICATION - SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	Sheer Fabric	All Other 3/4" Fabrics	All 3/4" Blackout Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width Side Stack	120"	168"	168"	168"
Max. Width Split Stack	168"	190"	190"	190"
Min. Height	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"
Max Sq. ft. Side Stack	100	140	120	100
Max Sq. ft. Split Stack	100	140	140	120

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, 1/2" double cell, or 3/8" triple cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 3/8" styles, 3/4" Semi Sheer, Double Cell, or Triple Cell honeycomb styles.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- *Override height location will be the center of the handle.
- Standard installation hardware (brackets) provided.
- 2" Hybrid Pleat handles will be clear.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

HONEYCOMB CLASSIC SKYLIGHT A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$224	254	283	320	345	382	411	443	470
42"	235	270	307	342	378	412	447	474	504
48"	248	290	324	363	411	443	485	519	546
54"	265	308	348	389	442	468	519	553	589
60"	274	327	372	415	476	509	556	603	
66"	291	345	393	443	503	539	584		
72"	303	362	415	466	525	566	621		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT B

• 3/8" Opulence (H40) • 3/4" Mirada (H92)
• 3/4" Cardiff (H91) • 3/4" Opulence (H28)
• 3/4" Glimmer (HS3) • 3/4" Serene FR (H62)
• 3/4" Linen (H27) • 1/2" Marcella (H47)
• 3/4" Melodic (HX6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$263	298	333	375	404	448	482	522	551
42"	276	316	361	401	443	484	524	556	592
48"	292	339	382	426	482	519	568	612	645
54"	313	362	411	457	518	549	612	652	694
60"	322	384	434	488	560	596	654	706	
66"	341	404	462	522	589	631	687		
72"	356	424	488	547	617	664	730		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$34

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$241 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$60 each
 - 48" Extension Wire (Part #CS5133Z)add \$7 each
 - DC Power Supply (Part #CS5151)add \$33 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$241 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$60 each
 - 48" Extension Wire (Part #CS5133Z)add \$7 each
 - Solar Panel (Part #CS52096)add \$146 each
 - Plug-In Charger (Part #CH-8.4V-1AN)add \$30 each

HONEYCOMB CLASSIC SKYLIGHT C

- 1/2" Opulence (H39)
- 3/4" Marcella Blackout (H46)
- 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$275	316	354	393	430	472	510	545	577
42"	294	334	381	424	471	512	553	593	628
48"	306	360	407	454	509	549	600	643	680
54"	332	384	437	485	552	579	647	693	734
60"	344	409	461	515	590	633	696	742	
66"	362	426	486	547	624	671	737		
72"	382	453	513	579	659	708	775		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT D

- 3/8" Opulence Blackout (H41)
- 3/4" Opulence Blackout (H29)
- 3/4" Peaceful (H96)
- 3/4" Serene FR Blackout (H60)
- 3/4" Tiffany (H25)
- 3/4" Tranquility (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$321	369	413	457	497	546	590	630	671
42"	344	391	442	494	546	593	643	691	731
48"	361	417	472	525	587	631	693	738	785
54"	382	443	509	563	634	680	742	795	847
60"	396	468	535	595	679	729	794	853	
66"	422	496	572	642	720	780	854		
72"	443	518	599	670	752	818	912		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$34

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$241 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$60 each
- 48" Extension Wire (Part #CS5133Z)add \$7 each
- DC Power Supply (Part #CS5151)add \$33 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER


USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$241 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$40 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$60 each
- 48" Extension Wire (Part #CS5133Z)add \$7 each
- Solar Panel (Part #CS52096)add \$146 each
- Plug-In Charger (Part #CH-8.4V-1AN)add \$30 each

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.

- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:			WINDOW POSITION:		
Top	Bottom	Side	Vertical	Sloped	Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



CLASSIC SKYLIGHT – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

NOTE: Shades over 36" wide require support cords.

Rail stiffener is required when shade is over 42" wide.



CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

Optional Extension Pole

Extends 5' to 10'

(Part #400036-81511)



FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mounts		3/8" Single
Minimum mounting depth IB:		1"
Minimum mounting depth, flush mount:		1-11/16"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mounts		3/4" Single and 1/2" Double
Minimum mounting depth IB:		1-1/4"
Minimum mounting depth, flush mount:		2-1/2"
Outside (OB) Mount		3/4" Single and 1/2" Double
Minimum flat vertical surface		1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Skylights with Simplicity Motorization will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

NOTE: Measurements may vary $\pm 1/8"$

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"



SKYLIGHT SIMPLICITY - SIZE STANDARDS

	All Honeycomb Fabrics *
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight with Simplicity not available with 3/8" triple cell fabrics or 2" Hybrid Pleat

NOTE: Size Standards are the same for Skylight with standard Simplicity and Rechargeable Simplicity

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

Standard Motorization


Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

Rechargeable Motorization

Inside (IB) Mounts	
Minimum mounting depth, IB	
Over 20" wide	2-1/2"
Under 20" wide	3"

NOTE:

Skylight shades with Rechargeable Motorization **over 20" wide** feature an internal battery with charging port. Skylight shades with Rechargeable Motorization **under 20" wide** require an external battery pack which accounts for the additional mounting depth



HONEYCOMB ARCH A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$92	107	121	141	164	187	215	245	277	315	356
Movable*	136	156	178	202	232	266	301	341	382	439	503

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 • 3/8" Opulence (H40)
 • 3/4" Cardiff (H91)
 • 3/4" Glimmer (HS3)
 • 3/4" Linen (H27)
 • 3/4" Melodic (HX6)

 • 3/4" Mirada (H92)
 • 3/4" Opulence (H28)
 • 3/4" Serene FR (H62)
 • 1/2" Marcella (H47)

HONEYCOMB ARCH B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$109	124	141	166	191	220	253	288	326	370	417
Movable*	158	182	207	236	271	313	353	400	449	514	590

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH C

 • 1/2" Opulence (H39)
 • 3/4" Marcella Blackout (H46)
 • 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$128	146	166	193	225	259	296	337	383	434	490
Movable*	185	214	243	278	319	368	415	470	526	605	695

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH D

 • 3/8" Opulence Blackout (H41)
 • 3/4" Opulence Blackout (H29)
 • 3/4" Serene FR Blackout (H60)
 • 3/4" Tiffany (H25)
 • 3/4" Tranquility (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$147	170	193	227	263	303	347	396	450	511	574
Movable*	216	252	286	327	373	430	487	550	617	707	816

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 NOTE: TRIPLE CELL FABRIC NOT AVAILABLE AS A TOP-DOWN ARCH
 2" HYBRID AND 3/4" PEACEFUL ARE NOT AVAILABLE AS ARCHES

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')\$34
- **Movable Arch Extension Pole**
(extends 18"-36") Part #24-213_TEP-2L13091.....\$20
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)




	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	1/2 width	1/2 width	1/2 width


Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Max height of straight sides is 10". Heights must be at least 25% of total width after the straight sides.


TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	6"	6"	6"
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Straight Side Specifications

- * 3/8" & 3/4": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 72", the max height = 48"
- * Non-perfect arch: heights must be at least 25% of total width



Optional Top-Down Movable Arch
Extension Pole
Extends 5' to 10' (Part #400037-0007)


Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:
661 Tiara White
320 Rich Cream


NOTE: Top-Down Arch not available in Triple Cell fabrics

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.

Arch trim kit included with Top-Down arches – available in White Tiara (661) & Rich Cream (320) – See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)


Height: Measure desired height(s)

Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)




	All 3/8" & 3/4" Semi-Opaque Fabrics & All 1/2" Double Cell	3/8" Blackout	All Other
Min. Width	12"	12"	12"
Max. Width	48"	68"	60"
NON-OPERABLE			



	All 3/8" Semi-Opaque Fabrics	All Other
Min. Width	12"	12"
Max. Width	30"	42"
NON-OPERABLE		

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	All 3/8" Semi-Opaque Fabrics	All 3/4" Sheer, Semi-Sheer, Semi-Opaque Fabrics	All 3/8" & 3/4" Blackout Fabrics	All 1/2" Double Cell, 3/8" Triple Cell Fabrics
Maximum Height	84	84	72	84
Maximum Area (sq ft)	60	60	40	30
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12	12	12	12
30 - 45 Angle	14	14	14	14
45 - 60 Angle	17	N/A	17	N/A
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	72	55	72	60
30 - 45 Angle	72	67	72	60
45 - 60 Angle	72	N/A	72	N/A
Minimum Width	12	12	12	12
Maximum width	* up to 45 angle only			
0 - 30 Angle	70	48	70	48
30 - 45 Angle	60	48	60	48
45 - 60 Angle	42	N/A	42	N/A


* 1/2" Up to 45 angle only

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$112
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

Max width for end mount is 36"

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth		1-1/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth		1-7/8"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Standard Cordlock

Min Width (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	72"	72"	72"	72"	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	108"	108"	108"	108"	108"	108"	108"	
Max Area (Sq/Ft)	48	40	48	48	40	40	48	

* If width < 12", max height = 80"

Standard Cordlock - Two-Fabric Combo

Min Width (net) *	N/A	N/A	10"	10"	10"	10"	10"	N/A
Max Width	N/A	N/A	72"	72"	72"	60"	60"	
Max Width - End Mount	N/A	N/A	36"	36"	36"	36"	36"	
Min Height	N/A	N/A	6"	6"	6"	6"	6"	
Max Height	N/A	N/A	96"	96"	96"	90"	90"	
Max Area (Sq/Ft)	N/A	N/A	48	48	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	16"	16"	16"	16"	
Max Width (per panel)	60"	60"	60"	60"	60"	60"	60"	
Max Width (overall)	120"	120"	120"	120"	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	18"	18"	18"	18"
Max Width	144"	144"	174"	174"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	24"	24"	24"	24"
Max Width	144"	144"	144"	144"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	8"	8"	8"	8"	8"	8"	8"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Cordless Lift System

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		32"	32"	32"	32"		32"
Max Width (per panel)	120"		120"	120"	120"	120"		100"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		48"	48"	48"	48"		48"
Max Width (per panel)	120"		120"	120"	120"	120"		104"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Two Fabric Combo

Min Width (net)	N/A	N/A	16"	16"	16"	N/A	N/A	N/A
Max Width			84"	84"	84"	N/A		
Max Width - End Mount			36"	36"	36"	N/A		
Min Height			12"	12"	12"	N/A		
Max Height			84"	84"	84"	N/A		
Max Area (Sq/Ft)			42	42	42	N/A		

Cordless Lift & Lock

Min Width (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		48"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			20"	20"	20"	20"		20"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			30"	30"	30"	30"		30"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A	N/A	16"	16"	16"	16"	N/A	16"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		42"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area Overall (Sq/Ft)			49	49	49	49		49

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A	N/A	N/A	24"	24"	24"	N/A	24"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				96"	96"	96"		96"
Max Area (Sq/Ft)				64	50	50		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	N/A	N/A	N/A	16"	16"	16"	N/A	16"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				70	70	70		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	N/A	N/A	N/A	12"	12"	12"	N/A	12"
Max Width				84"	84"	84"		84"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				49	49	49		49

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	N/A	N/A	12"	12"	12"	N/A	N/A	12"
Max Width Side Stack			120"	168"	168"			168"
Max Width Split Stack			168"	190"	190"			190"
Min Height			24"	24"	24"			24"
Max Height			120"	120"	120"			120"
Max Area Side Stack			100	140	120			100
Max Area Split Stack			100	140	140			120

Note: Sheer only, not available on Semi-Sheer.

LINEN ALLURE DIMENSIONS – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	32"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	48"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

Cordless Lift & Lock

Cordless Lift & Lock

Min Width (net)	9-1/2"
Max Width	84"
Max Width - End Mount	48"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Cordless Lift & Lock - Two-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	20"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Three-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	30"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop

Continuous Cord Loop

Min Width (net)	18"
Max Width	120"
Max Width – End Mount	42"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	N/A
Max Width	
Max Width – End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"
Min Width (overall)	36"
Max Width (per panel)	102"
Max Width (overall)	144"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A
Max Width	
Max Width - End Mount	
Min Height	
Max Height	
Max Area (Sq/Ft)	

TriLight Shades - Cordless

Min Width (net)	16"
Max Width	84" - 96"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	48

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock

Min Width (net)	9.5"
Max Width	84"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	39

Vertical Application

Vertical Application

	Side Stack / Split Stack
Min Width	N/A
Max Width	
Min Height	
Max Height	
Max Area (Sq/Ft)	

Motorization Options

RemoteLift 2.0

Min Width (net)	18"
Max Width	96"
Max Width - End Mount	36"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	25

Width to:

24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
25 Square Feet												
96"	96"	96"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"

Simplicity Motorization - Bottom-Up

Min Width (net)	18"
Max Width	96"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	30

Simplicity Rechargeable Motorization - Two-on-One Headrail

Min Width (per panel)	20"
Min Width (overall)	40"
Max Width (per panel)	96"
Max Width (overall)	144"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft) per panel	30

Width to:

24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
30 Square Feet												
96"	96"	96"	96"	90"	80"	72"	64"	60"	54"	50"	48"	44"

ORDERING NOTES:

Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

LINEN ALLURE HYBRID PLEAT – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"
Max Width	120"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	32"
Max Width (per panel)	104"
Max Width (overall)	120"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"
Min Width (overall)	48"
Max Width (per panel)	104"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	60

Cordless Lift & Lock

Cordless Lift & Lock

Min Width (net)	12"
Max Width	84"
Max Width - End Mount	48"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	16"
Max Width	84"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	49"

Cordless Lift & Lock - Two-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	20"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	49

Cordless Lift & Lock - Three-on-One Headrail

Min Width (per panel) (net)	9-1/2"
Min Width (overall)	30"
Max Width (per panel)	84"
Max Width (overall)	144"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft) (per panel)	49

Continuous Cord Loop

Continuous Cord Loop

Min Width (net)	18"
Max Width	120"
Max Width – End Mount	42"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"
Max Width	120"
Max Width – End Mount	42"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"
Min Width (overall)	36"
Max Width (per panel)	102"
Max Width (overall)	120"
Min Height	12"
Max Height	120"
Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop

Min Width (net)	24"
Max Width	84" - 96"
Max Width - End Mount	42"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	60

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless

Min Width (net)	16"
Max Width	84" - 96"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	60

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock

Min Width (net)	12"
Max Width	84"
Max Width - End Mount	42"
Min Height	12"
Max Height	84"
Max Area (Sq/Ft)	49

Vertical Application

Vertical Application

	Side Stack
Min Width	12"
Max Width	120"
Min Height	24"
Max Height	120"
Max Area (Sq/Ft)	100

	Split Stack
Min Width	12"
Max Width	190"
Min Height	24"
Max Height	120"
Max Area (Sq/Ft)	120

Motorization Options

RemoteLift 2.0

Min Width (net)	18"
Max Width	120
Max Width - End Mount	36"
Min Height	12"
Max Height	108"
Max Area (Sq/Ft)	50

Width to:

18" - 54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
50 Square Feet									
108"	108"	108"	100"	90"	84"	80"	74"	66"	60"

Simplicity Motorization - Bottom-Up

Min Width (net)	18" / 20"
Max Width	96"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft)	n/a

Simplicity Rechargeable Motorization - Two-on-One Headrail

Min Width (per panel)	20"
Min Width (overall)	40"
Max Width (per panel)	96"
Max Width (overall)	144"
Min Height	12"
Max Height	96"
Max Area (Sq/Ft) per panel	n/a

ORDERING NOTES:

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Classic Skylight

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	60"	60"	60"	60"	60"	60"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Classic Skylight – Side Stack

Min Width	6"	6"	6"	6"	6"	6"	N/A	N/A
Max Width	72"	72"	72"	72"	72"	72"		
Min Height	18"	18"	18"	18"	18"	18"		
Max Height	60"	60"	60"	60"	60"	60"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Skylight with Simplicity Motorization

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	48"	48"	48"	48"	48"	48"		
Min Height	12"	12"	12"	12"	12"	12"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	N/A	N/A	N/A	N/A	N/A	N/A		

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	48"	48"	48"	48"	48"	48"		

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width		
Max Height	48"	48"	48"	48"	48"	48"		

Angle


Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Height	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Area (Sq/Ft)	60	40	60	60	40	30	30	

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown




Arch Trim – White (Part #2280364661)
 – Rich Cream (Part #2280364320)



Child Safety Kit (Cord Cleat)
 (Part #KIT2728)

PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5467PL-TDBU (Painted rails)
White: Part #CS5476W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474


PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit
(Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #CS4317)




Dual Bottom Limiter (Part #500199000)

TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP




PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT



PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION


End Mount Bracket
(Part #40-0026-159)
Used with installation bracket




Simplicity Top-Down/Bottom-Up Components

14 Channel Remote (Part #CS52136)
Primary Motor (Part #CS52138)
Secondary Motor (Part #CS52139)
Internal Battery Pack (Part #CS52134)
Exterior Battery Pack (Part #CS52105)
7 Conductor Extension Wire (Part #CS52140)

PRODUCT COMPONENTS – POWERWAND™ MOTORIZATION



PRODUCT COMPONENTS – VERTICAL APPLICATION



White Magnetic Strip (split stack) (2990133000)



Installation Bracket with Screws (2990934000)



Mounting Screws #6 x 1.5 (02-70-9025)




Shim (2990938785)




1/2" Spacer Block
KIT2011 = 2 Spacers/kit
KIT2012 = 3 Spacers/kit

PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT



Rechargeable Motor Components

Internal Battery Pack (Part #CS52101)
Exterior Battery Pack (Part #CS52105)
Plug-In Charger (Part #CH-8.4V-1AN)
Solar Charger (Part #CS52096)