

## // Retail Price List & Product Info Guide



**ALTA**  
WINDOW FASHIONS  
*design simplified*

# VERTICAL BLINDS

Pricing effective October 5, 2020 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

---

## TABLE OF CONTENTS

---

### Product Overview

- Collection Information ..... 2

### Pricing Information

- Vertical Price Groups 1 & 2 ..... 3
- Vertical Price Groups 3 & 4 ..... 4
- Vertical Price Groups 5 & 6 ..... 5
- Auxiliary Components – Vanes, Valances, Headrail Only ..... 6

### Product Specifications

- Size Standards & Finished Dimensions ..... 7
- Inserted Materials ..... 7
- Safety Wand Control System ..... 7
- Valances ..... 7
- Headrail System Specifications ..... 8
- Tile Cut-Outs ..... 8
- Replacement Vanes ..... 8
- Bottom Treatments ..... 8
- Vane Count & Stacking Space Chart ..... 9
- Product Components ..... 10
- S-Curve Vane View ..... 11-12






#### Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical blinds over 96" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

## COLLECTION INFORMATION

Fabric Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Fabric Content	Free Hang or Inserted	Care Code	Light Control
Cantina Romana	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Carleton	4	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Cava	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Clement	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Clement Blackout	6	NO	100% Polyester	Free Hang Only	1 & 3	E
Falmouth Blackout	6	NO	100% Polyester	Free Hang Only	1 & 3	E
Miramar	5	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
San Simeon	4	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Vermont	5	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
PVC Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Content	Free Hang or Inserted	Care Code	Light Control
Antiquities	2	YES	PVC	Free Hang	1 & 2	E
Belize Bay S-Curve	3	YES	PVC	Free Hang	1 & 2	E
Column	2	YES	PVC	Free Hang	1 & 2	E
Curved	1	YES	PVC	Free Hang	1 & 2	E
Doheny	2	YES	PVC	Free Hang	1 & 2	E
Elegance	4	YES	PVC	Free Hang	1 & 2	E
Environs	2	YES	PVC	Free Hang	1 & 2	E
Origins S-Curve	3	YES	PVC	Free Hang	1 & 2	E
Prairie	2	YES	PVC	Free Hang	1 & 2	E
Prose	3	YES	PVC	Free Hang	1 & 2	E
Ribbed Curved	2	YES	PVC	Free Hang	1 & 2	E
Sublime	2	YES	PVC	Free Hang	1 & 2	E
Summer Day	5	YES	PVC	Free Hang	1 & 2	E
Sutton S-Curve	3	YES	PVC	Free Hang	1 & 2	E
Terra Bella	2	YES	PVC	Free Hang	1 & 2	E
Textured	4	YES	PVC	Free Hang	1 & 2	E
Ultimate	2	YES	PVC	Free Hang	1 & 2	E
Venture	3	YES	PVC	Free Hang	1 & 2	E
Windfall S-Curve	3	YES	PVC	Free Hang	1 & 2	E
Wood Texture	3	YES	PVC	Free Hang	1 & 2	E
Wood Tones	3	YES	PVC	Free Hang	1 & 2	E
<div> <div>Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all vertical vane surfaces which are lightly soiled.</div> <div>Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all vinyl vertical vane surfaces. Care Method 3</div> <div>Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all fabric vertical vane surfaces.</div> </div>						
<div> <div>  <p><b>A. Glare Reducing</b> Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.</p> </div> <div>  <p><b>B. Filtering</b> Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.</p> </div> <div>  <p><b>C. Shading</b> Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.</p> </div> <div>  <p><b>D. Blocking</b> Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).</p> </div> <div>  <p><b>E. Blackout</b> Blocks out virtually all light (except light that may enter on the sides of the blind and between vanes)) for maximum privacy and darkness.</p> </div> </div>						

**GROUP 1 (Valance Included)**

PVC

• Curved

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$156	203	240	282	324	340	368	412	458	510	658	718	780	796	849	945
60"	162	208	252	300	346	360	392	443	490	544	700	769	829	852	910	1000
72"	168	222	268	318	367	384	415	467	519	575	745	812	881	901	960	1066
84"	176	232	282	332	384	403	442	490	548	610	786	856	929	953		
96"	202	242	294	348	406	426	460	518	572	639	797	941	1024			
108"	206	250	308	367	426	446	482	547	604	675	837					
120"	234	301	368	438	488	512	557	571	636	708						

PVC

- Antiquities
- Column
- Doheny
- Environs
- Prairie
- Ribbed Curved
- Sublime
- Terra Bella
- Ultimate

**GROUP 2 (Valance Included)**

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$176	228	271	320	375	392	424	474	526	586	758	821	885	951	1011	1131
60"	187	240	288	338	403	420	452	507	564	627	815	891	956	1023	1091	1211
72"	198	252	311	364	424	447	487	547	606	675	877	954	1031	1105	1173	1315
84"	203	267	327	390	454	476	516	579	646	722	932	1019	1100	1178		
96"	217	287	350	411	480	504	546	612	684	760	989	1120	1255			
108"	225	294	362	428	502	527	572	646	719	799	1038					
120"	260	361	423	508	601	630	660	678	755	838						

**CONTROLS AND STACK OPTIONS**

Stack Position		
Control Options	One Way (L or R)	Split Stack
Cord & Chain	OK	OK
Safety Wand	OK	N/A

**ADDITIONAL INFORMATION**

- Bottom chain and keyhole punch available on request
- Minimum size available 12" x 12"
- Tile Cut-out Surcharge – **add \$20** (see page 8 for details)

**GROUP 3 (Valance Included)****PVC**

- Belize Bay S-Curve
- Origins S-Curve
- Prose
- Sutton S-Curve
- Venture
- Windfall S-Curve
- Wood Textures
- Wood Tones

**FABRIC – FREE HANGING**

- Cantina Romana
  - Cava
  - Clement
- For Insert add \$178 to the price of the blind

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$192	248	299	347	414	432	470	528	587	650	845	915	989	1059	1126	1257
60"	204	264	323	379	451	472	512	575	635	711	921	997	1078	1156	1232	1377
72"	215	282	352	412	486	511	559	628	696	778	1005	1094	1184	1269	1351	1510
84"	227	299	370	443	518	547	600	675	751	836	1086	1181	1280	1365		
96"	256	326	402	472	550	576	634	714	790	882	1145	1293	1457			
108"	293	343	419	496	586	612	670	750	834	930	1210					
120"	327	400	478	541	610	638	698	790	876	976						

**PVC**

- Elegance
- Textured

**FABRIC – FREE HANGING**

- Carleton
  - San Simeon
- For Insert add \$178 to the price of the blind

**GROUP 4 (Valance Included)**

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$222	287	350	403	484	510	558	630	698	772	1000	1089	1180	1257	1342	1499
60"	240	306	383	451	538	568	624	699	774	858	1113	1210	1310	1402	1489	1667
72"	252	332	420	502	594	628	691	775	862	960	1242	1350	1461	1564	1665	1861
84"	268	358	447	535	634	672	746	839	932	1039	1351	1464	1581	1699		
96"	295	399	492	576	670	712	788	886	990	1095	1424	1607	1809			
108"	319	424	526	612	722	759	831	932	1039	1159	1504					
120"	388	515	615	732	866	910	955	986	1096	1216						

**CONTROLS AND STACK OPTIONS**

Stack Position		
Control Options	One Way (L or R)	Split Stack
Cord & Chain	OK	OK
Safety Wand	OK	N/A

**ADDITIONAL INFORMATION**

- Bottom chain and keyhole punch available on request
- Minimum size available 12" x 12"
- Tile Cut-out Surcharge – **add \$20** (see page 8 for details)

## PVC

- Summer Day

## FABRIC – FREE HANGING

- Miramar
- Vermont

For Insert add \$178 to the price of the blind

## GROUP 5 (Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$239	306	372	430	518	546	596	675	748	827	1070	1164	1262	1345	1434	1603
60"	258	327	410	482	575	608	667	750	828	918	1189	1292	1402	1499	1596	1781
72"	270	358	450	535	634	671	739	830	922	1027	1329	1442	1564	1673	1780	1992
84"	288	382	476	572	679	720	799	898	996	1112	1446	1569	1692	1818		
96"	360	426	527	618	716	760	843	947	1059	1171	1524	1719	1936			
108"	405	454	563	656	774	812	890	996	1112	1239	1607					
120"	416	554	685	818	965	974	1023	1056	1174	1299						

## FABRIC – FREE HANGING

- Clement Blackout
- Falmouth Blackout

Insert is not available for these patterns

## GROUP 6 (Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
HEIGHT TO:																
48"	\$271	368	462	556	656	687	747	847	944	1048	1362	1481	1607	1726	1843	2080
60"	290	402	514	624	732	772	843	954	1068	1187	1545	1681	1824	1956	2088	2348
72"	318	442	563	686	804	844	923	1042	1164	1298	1691	1838	1996	2140	2284	2568
84"	342	475	600	732	860	904	990	1122	1258	1395	1821	1981	2143	2302		
96"	412	506	648	782	924	975	1066	1203	1351	1502	1956	2216	2493			
108"	436	534	680	827	980	1028	1127	1280	1434	1591	2070					
120"	497	695	892	1085	1288	1251	1310	1358	1522	1690						

## CONTROLS AND STACK OPTIONS

Stack Position		
Control Options	One Way (L or R)	Split Stack
Cord & Chain	OK	OK
Safety Wand	OK	N/A

## ADDITIONAL INFORMATION

- Bottom chain and keyhole punch available on request
- Minimum size available 12" x 12"
- Tile Cut-out Surcharge – add \$20 (see page 8 for details)

## VALANCE ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
Group 1	\$33	42	46	55	61	64	74	77	90	120	128	151	164	168	181	198
Group 2	36	42	49	55	64	68	77	83	90	124	136	160	168	176	194	215
Group 3	36	42	55	58	68	74	80	86	93	128	140	164	172	189	203	219
Group 4	39	46	61	68	77	83	90	96	105	144	151	181	198	207	219	246
Group 5	42	49	64	74	83	90	96	102	116	151	160	198	211	219	236	262
Group 6	46	52	68	77	86	93	99	105	119	156	175	203	219	228	241	289

## HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$88	118	141	174	208	220	241	274	307	344	463	509	571	619	656	670

## VANE ONLY

Price Group	1	2	3	4	5	6
HEIGHT TO:						
48"	\$11	11	12	12	14	14
60"	11	11	14	14	16	16
72"	11	12	16	18	20	20
84"	11	16	17	21	22	26
96"	12	18	21	27	28	28
108"	12	22	27	29	32	32
120"	12	24	28	33	34	34

For Inserts added to fabric vanes, add \$11 Per vane (plus vane price)



# PRODUCT SPECIFICATIONS

## BASIC SIZE STANDARDS & MOUNTING REQUIREMENTS

### FINISHED DIMENSIONS

Width and height may vary  $\pm 1/8$ "  
Headrail size: 1-3/4" x 1-3/8"

### INSIDE MOUNT

Headrail unit: 1/4" less than ordered width  
Vane length: 2" less than ordered height  
Overall height deduction: 3/8" less than ordered height  
Minimum mounting depth: 1-3/4"  
Minimum mounting depth, flush mount, vanes closed: 3-1/2"  
Minimum mounting depth, flush mount, with full valance: 4-3/4"

### OUTSIDE MOUNT

Headrail unit: ordered width  
OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)  
Vane length: 1-5/8" less than ordered height  
Minimum mounting surface height: 1-1/2"



### CEILING MOUNT

Headrail unit: ordered width  
Vane length: 1-5/8" less than ordered height  
Brackets provided: inside mount brackets  
OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)

## STANDARD CONTROLS

Traverse Cord and Bead Chain Rotation Controls:

- The traversing cord is 75% of the height of the vertical blind. The vane rotation control chain is 40% of the height of the vertical blind. Longer lengths are available upon request.
- Control Positions – both the traversing cord and vane rotation control chain must be on the same side of the blind. Select left or right.
- Stacking Position – vertical vanes may be stacked

left  , right  , split 

## VALANCE RETURNS



Inside Mount –  
No Returns




Inside Mount –  
Standard



Outside Mount –  
Standard

## OPTIONAL SAFETY WAND CONTROL SYSTEM

- The safety wand is a convenient alternative to the traditional control chain and cord, and helps protect children from injury.
- Twist the wand to rotate vanes open and closed. Pull the wand across the blind to draw vanes back and forth.
- Built-in magnets on the headrail and wand control unit provide a firm lock when blinds are drawn to their fully closed position.
- The wand operates on left or right sides (no split or center draws) up to 144" in height. The safety wand is ivory in color and is available in three different lengths: 38", 48" & 60" drops.



**You must specify desired wand length when ordering.**

Ordered Height of Blind	Recommended Wand Length
12" to 70"	38" Wand
70-1/8" to 90"	48" Wand
90-1/8" to 144"	60" Wand



## VALANCE

### FULL 3-1/2" VALANCE – STANDARD ON EVERY BLIND

A 3-1/2" fabric or vinyl vane is inserted into the valance and mounts to the headrail. Valance corners are gently rounded and have a continuous material insert that provides a soft look. Standard returns, measuring 5-3/4", will be included on all outside mount valances. These may be trimmed down at the time of installation if necessary. Longer returns are available upon request at no additional charge.




- \* The 5-3/4" total return length includes a valance return cut measuring 4-1/2" which is attached to a rounded corner measuring 1-1/4". The total return length from the back of the valance to the end of the attached return equals 5-3/4".

## INSERTED MATERIALS

- Insert vertical blinds let you combine the fashion advantages of decorator fabrics – a spectrum of colors and a variety of soft textures – with the functional benefits of vinyl – energy efficiency, privacy, light control and a uniform look from the outside. The Insert Groover is available in both white and ivory.
- The Insert Groover, provided on all insert style verticals, is guaranteed to remain beautifully clear for the lifetime of your vertical blind because state-of-the-art plastics are used to formulate the clear edges. Edges won't yellow or crack...even with prolonged exposure to harsh sunlight!
- All materials inserted into Groovers will be secured into position with a small button at the top of each vane. Most fabrics can be inserted. Each fabric deck indicates

"Free Hang" and/or "Insert Groover". The "Collection Information" page also indicates if the fabric can be inserted.

- You may also purchase an Insert blind without fabric inserted. These blinds are provided with an adhesive back laminating insert material so that you may bond and insert your own fabric or wallpaper. (See price Group C).





## FEATURES AND OPTIONS

### HEADRAIL SYSTEM


- Smooth traversing and quiet operation
- Heavy-duty aluminum channel
- 100% Celcon carriers and hooks
- Durable graphlite wheel system
- Vanes never go out of synchronization
- Reversible track – left or right control
- Snap-in brackets make installation fast and easy

Installation Brackets								
Width Up to:	32"	56"	80"	104"	128"	152"	176"	192"
	2	3	4	5	6	7	8	9


### TILE CUT-OUT

A Tile Cut-Out allows a vertical blind to hang straight and not catch on an obstruction.

Bottom Center Cut-Out



Bottom Side Cut-Out



- Some blinds have operating restrictions
- Bottom Center Cut-Out must be split stack
- Bottom Side Cut-Out must stack to center or longest side

Note: For cut-outs, the vane will be cut across the entire width of the vane. We are unable to cut notches within individual vanes during production.

### REPLACEMENT VANES

**When ordering, specify whether you are providing "exact height of vane" as opposed to Inside or Outside mount.**

**Fabric:** Finished with a top vane hanger, finished bottom hem, and sewn-in weight (chains available upon request.)

**Insert** Finished with attachment hole punched at top of vane.

**Groover:** Buttons to secure inserted fabrics at top of vane also included.

**All Others:** Finished with attachment hole punched at top of vane (keyhole punch at bottom and chain available upon request.)

### BOTTOM TREATMENTS

- **Fabrics:** Patented ultrasonically sealed-in weights are included standard on all free-hang fabric vertical blinds at no additional charge. Bottom chains available upon request only and will have open side hems.
- **Vinyl:** Bottom chains and keyhole punch available upon request only at no additional charge.
- **All Other:** Bottom chains not available for Insert Verticals.

# PRODUCT SPECIFICATIONS

## VANE COUNT & STACKING SPACE CHART

**VANE COUNT CHART** Use "Number of Vanes" column to order the correct number of vanes.

**STACKING SPACE CHART** Use "Stack Width" column to determine how much of the wall/window will be covered when the blind is fully open.

**CLEAR OPENING** Use "Clear Opening" column to determine how much of the window will be showing when the blind is fully open.




### ONE-WAY DRAW

Actual Track Width	# of Vanes	Stack Width	Clear Opening	Actual Track Width	# of Vanes	Stack Width	Clear Opening
13-1/2"	4	3-3/4"	9-3/4"	104-3/4"	33	18-1/4"	86-1/2"
16-1/2"	5	4-1/8"	12-1/4"	107-3/4"	34	18-3/4"	89"
19-3/4"	6	4-3/4"	15"	111"	35	19-1/4"	91-3/4"
22-3/4"	7	5-1/4"	17-1/2"	114-1/4"	36	19-3/4"	94-1/2"
26"	8	5-3/4"	20-1/4"	117-1/4"	37	20-1/4"	97"
29"	9	6-1/4"	22-3/4"	120-1/2"	38	20-3/4"	99-3/4"
32-1/4"	10	6-3/4"	25-1/2"	123-1/2"	39	21-1/4"	102-1/4"
35-1/2"	11	7-1/4"	28-1/4"	126-3/4"	40	21-3/4"	105"
38-1/2"	12	7-3/4"	30-3/4"	130"	41	22-1/4"	107-3/4"
41-3/4"	13	8-1/4"	33-1/2"	133"	42	22-3/4"	110-1/4"
44-3/4"	14	8-3/4"	36"	136-1/4"	43	23-1/4"	113"
48"	15	9-1/4"	38-3/4"	139-1/4"	44	23-3/4"	115-1/2"
51-1/4"	16	9-3/4"	41-1/2"	142-1/2"	45	24-1/4"	118-1/4"
54-1/4"	17	10-1/4"	44"	145-3/4"	46	24-3/4"	121"
57-1/2"	18	10-3/4"	46-3/4"	148-3/4"	47	25-1/4"	123-1/2"
60-1/2"	19	11-1/4"	49-1/4"	152"	48	25-3/4"	126-1/4"
63-3/4"	20	11-3/4"	52"	155"	49	26-1/4"	128-3/4"
67"	21	12-1/8"	54-3/4"	158-1/4"	50	26-3/4"	131-1/2"
70"	22	12-3/4"	57-1/8"	161-1/2"	51	27-1/4"	134-1/4"
73-1/4"	23	13-1/8"	60"	164-1/2"	52	27-3/4"	136-1/4"
76-1/4"	24	13-3/4"	62-1/2"	167-3/4"	53	28-1/4"	139-1/2"
79-1/2"	25	14-1/4"	65-1/4"	170-3/4"	54	28-3/4"	142"
82-3/4"	26	14-3/4"	68"	174"	55	29-1/4"	144-3/4"
85-3/4"	27	15-1/4"	70-1/2"	177-1/4"	56	29-3/4"	147-1/2"
89"	28	15-3/4"	73-1/4"	180-1/4"	57	30-1/4"	150"
92"	29	16-1/4"	75-3/4"	183-1/2"	58	30-3/4"	152-3/4"
95-1/4"	30	16-3/4"	78-1/2"	186-1/2"	59	31-1/4"	155-1/4"
98-1/2"	31	17-1/4"	81-1/4"	189-3/4"	60	31-3/4"	158"
101-1/2"	32	17-3/4"	83-3/4"	192"	61	32-1/4"	159-3/4"

### SPLIT DRAW


Actual Track Width	# of Vanes	Stack Width		Clear Opening
		Control Side	End Side	
12-3/4"	4	2-3/4"	2-1/2"	7-1/2"
19"	6	2-1/4"	3"	13-3/4"
25-1/2"	8	3-3/4"	3-1/2"	18-1/4"
31-3/4"	10	4-1/4"	4"	23-1/2"
38"	12	4-3/4"	4-1/2"	28-3/4"
44-1/2"	14	5-1/4"	5"	34"
50-3/4"	16	5-3/4"	5-1/2"	39-1/2"
57"	18	6-1/4"	6"	44-3/4"
63-1/4"	20	6-3/4"	6-1/2"	50"
69-1/2"	22	7-1/4"	7"	55-1/4"
75-3/4"	24	7-3/4"	7-1/2"	60-1/2"
82-1/4"	26	8-1/4"	8"	66"
88-1/2"	28	8-3/4"	8-1/2"	71-1/4"
94-3/4"	30	9-1/4"	9"	76-1/2"
101"	32	9-3/4"	9-1/2"	81-3/4"
107-1/4"	34	10-1/4"	10"	87"
113-3/4"	36	10-3/4"	10-1/2"	92-1/2"
120"	38	11-1/4"	11"	97-3/4"
126-1/4"	40	11-3/4"	11-1/2"	103"
132-1/2"	42	12-1/4"	12"	108-1/4"
138-3/4"	44	12-3/4"	12-1/2"	113-1/2"
145-1/4"	46	13-1/4"	13"	119"
151-1/2"	48	13-3/4"	13-1/2"	124-1/4"
157-3/4"	50	14-1/4"	14"	129-1/2"
164"	52	14-3/4"	14-1/2"	134-3/4"
170-1/4"	54	15-1/4"	15"	140"
176-3/4"	56	15-3/4"	15-1/2"	145-1/2"
183"	58	16-1/4"	16"	150-3/4"
189-1/4"	60	16-3/4"	16-1/2"	156"
192"	62	17-1/4"	17"	157-3/4"

# PRODUCT COMPONENTS




## VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




### Left stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and left stack is desired. Control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.




### Left stack with vane view Left

The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked. Ideal when the sliding glass door is on the right side or in the center of the wall and left stack is desired. The control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.



### Split stack with vane view right

When ordering a split stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and a split stack is desired. The control position can be either left or right.




### Split stack with vane view left

When ordering a split stack, vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the right side of the wall and a split stack is desired. The control position can be either left or right.


## VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




### Right stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open or stacked position. Ideal for when the sliding glass door is on the left side of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.




### Right stack with vane view left

The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open or stacked position. Ideal when the sliding glass door is on the right side or in the center of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.



### Center stack with vane view right

When ordering center stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the left side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.



### Center stack with vane view left

When ordering center stack vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the right side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.